

Scientific Writing for Computer Science Students

Wilhelmiina Hämäläinen

Course material September 6, 2006
Department of Computer Science
University of Joensuu

Preface

This material is originally prepared for IMPIT-students in the Department of Computer Science, University of Joensuu, to help them when they prepare to write their master's thesis in English. Since all students are foreigners, quite much emphasis is put into English grammar, but all examples are taken from the computer science context. Another emphasis is the use of \LaTeX , which suits especially well for writing computer science texts containing several equations, algorithms, tables, and figures. In addition, the literature sources and references can be easily managed by bibtex.

The style advice are based on existing literature on scientific writing (e.g. [1, 2, 4, 3]), but once again the instructions have been applied to the current customs in the computer science.

I wish that the result is useful for the reader.

In Joensuu, 6th Sep 2006,

Wilhelmiina Hämäläinen

Contents

1	Introduction	1
1.1	Goal 1: How to write scientific text is cs?	1
1.1.1	Problem	2
1.1.2	Example	2
1.1.3	Instructions	2
1.1.4	Writing tree t	3
1.1.5	Properties of a good tree t	3
1.2	Goal 2: How to write English?	4
1.3	Goal 3: How to write a master's thesis?	5
1.4	Scientific writing style	6
1.4.1	Exact	6
1.4.2	Clear	7
1.4.3	Compact	7
1.4.4	Smooth	8
1.4.5	Objective	9
2	Searching, reading, and referring literature	11
2.1	Need for references	11
2.2	Source types	11
2.3	Collecting literature	12
2.4	Reading	13
2.5	References	14
2.5.1	Referring in the text	14
2.5.2	Reference notations	15
2.5.3	Reference list	16
2.5.4	References in latex	20
2.6	Citations	20
2.7	Your own opinions?	21
3	Use of tables, figures, examples, and similar elements	23
3.1	Figures and tables	23
3.1.1	General rules	23
3.1.2	Vector graphics	24
3.1.3	Captions	24
3.1.4	Tables and figures in latex	24
3.1.5	Expressions	25
3.2	Lists	25
3.3	Referring to chapters or sections	26
3.4	Algorithms	26
3.5	Examples and definitions	27
3.5.1	Definition	27
3.5.2	In latex	27
3.5.3	Expressions for referring to a definition	28
3.6	Equations	28
3.6.1	Without equation numbers	28
3.6.2	With equations numbers	28
3.6.3	Text inside equations	29
4	Grammar with style notes	31
4.1	Verbs	31
4.1.1	Number and person	31
4.1.2	Tenses (temporal forms)	32
4.1.3	Active or passive voice, which person?	32
4.1.4	Other notes	34
4.1.5	Noun syndrom	35
4.1.6	Often needed irregular verbs	35
4.2	Nouns	36
4.2.1	Plural forms	37
4.2.2	Countable and uncountable nouns	38
4.2.3	Extra: differences between British and American English	38
4.3	Compound words	39
4.4	Articles	40
4.4.1	Position	40
4.4.2	Use of articles	40
4.4.3	Hints	43
4.5	Pronouns	49
4.5.1	Unclear references	49
4.5.2	Pronouns which require singular verb form	49
4.5.3	Every vs. all	49
4.5.4	Many vs. several	50


4.5.5	Phrases	50
4.5.6	Relative pronouns	50
4.5.7	Extra material: Tricks for gender-neutral language	51
4.6	Adjectives	51
4.6.1	Vague adjectives	51
4.6.2	Comparative and superlative	51
4.6.3	When you compare things	52
4.7	Other word groups	53
4.8	Adverbs	53
4.8.1	The position of adverbs in a sentence	54
4.8.2	Special cases	54
4.8.3	Extra: How to derive adverbs from adjectives?	55
4.8.4	Comparing adverbs	56
4.9	Parallel structures	56
4.9.1	Basic rules	57
4.9.2	Parallel items combined by conjunctions and, or, but	57
4.9.3	Lists	58
4.9.4	Example 4	59
4.9.5	Parallel items combined by conjunction pairs	59
4.9.6	The comparative – the comparative	61
4.9.7	Parallel sentences	61
4.10	Prepositions	62
4.10.1	Expressing location	62
4.10.2	Expressing time	62
4.10.3	Expressing the target or the receiver: to or for?	63
4.10.4	Special phrases	64
4.11	Sentences	65
4.11.1	Terminology	65
4.11.2	Sentence types	65
4.11.3	Sentence length?	66
4.11.4	Word order	67
4.11.5	Combining clauses	69
4.11.6	Combining clauses by sub-ordinating conjunctions	69
4.11.7	Relative clauses	70
4.11.8	Indirect questions	73
4.12	Paragraphs	73
4.12.1	Combining sentences in a paragraph	73
4.12.2	Dividing a section into paragraphs	74
4.12.3	Introductory paragraphs	76
4.13	Punctuation	77
4.13.1	Full-stop	77

4.13.2	Comma	77
4.13.3	Colon	78
4.13.4	Dash	79
4.13.5	Semicolon	79
4.13.6	Quotation marks	79
4.13.7	Parantheses	80
4.14	Genitive: 's or of?	81
4.14.1	Special cases where 's genitive is used for unanimate things	81
4.14.2	When of structure is necessary	81
4.14.3	Possessive form of pronouns	82
4.15	Abbreviations	82
5	Writing master's thesis	85
5.1	Parts of the master's thesis	85
5.1.1	Abstract	85
5.1.2	Introduction	85
5.1.3	Main chapters	86
5.1.4	Conclusions	86
5.1.5	References	86
5.1.6	Appendixes	87
5.1.7	Examples of master's theses	87
5.2	Master's thesis process	89
5.2.1	Reading literature	89
5.2.2	Planning	89
5.2.3	Difficulty to get started	90
5.2.4	Revising	91
5.2.5	Technical notes	91
6	L^AT_EX instructions and exercises	93
6.1	Basic Latex	93
6.1.1	Instructions	93
6.1.2	Exercises	94
6.2	Writing equations and special symbols	95
6.3	Writing references	97
6.4	Including figures into a latex document	97
6.5	Drawing figures	99
6.5.1	Instructions	99
6.5.2	Tasks	99
6.6	Spell checking	100
6.7	Writing references with bibtex	100

6.7.1	Idea	101
6.7.2	Bibtex entries	102
6.7.3	Exercise	104
6.8	Writing algorithms in latex	104
6.8.1	Instructions	104
6.8.2	Exercises	105
6.9	Special latex notes	106
6.9.1	No numbers to sections or sections	106
6.9.2	Other symbols or item names to lists	107
6.9.3	Footnotes	108
6.9.4	Font size	108
6.9.5	Multi-column tables	108
6.9.6	Sideway tables	110
6.9.7	Special letters	110
6.9.8	Removing extra spaces	110
6.9.9	Adding extra spaces	111
	Appendix A: A simple latex template	112
	Appendix B: A latex template for articles	114
	References	117

Chapter 1

Introduction



Three learning goals:

1. How to write scientific texts in computer science?
2. How to write in English?
3. How to write a master thesis?


1.1 Goal 1: How to write scientific text in cs?

- general style
- how to use references
- equations, pictures, tables, algorithms
- useful tools (latex, bibtex, picture editors)


1.1.1 Problem

Writing w is a mapping from a set of ideas I to a set of scientific texts S , $w : I \rightarrow S$.

Problem: Given a set of ideas $i \in I$, produce $f(i) \in S$



1.1.2 Example



1.1.3 Instructions

1. Organize your ideas in a hierarchical manner, as a tree of ideas t ("minimal spanning tree" of idea graph)
2. Write the tree t as text such that

- The root node of t corresponds to your topic (title)
- Its children correspond to chapters
- Their children and grand-children correspond to sections and subsections
- Leaf nodes correspond to paragraphs (actual text)

1.1.4 Writing tree t

Each node $n \in t$ contains three fields:

- $title(n)$: the main title or the name of the chapter, section or subsection. In leaf nodes (paragraphs) $NULL$
- $children(n)$: n 's children (chapters, sections or subsections). In leaf node $NULL$.
- $content(n)$: description of the idea in n . In non-leaf nodes very brief, in leaf nodes longer.

The following algorithm describes how to walk through t in preorder and write it as a sequence $s \in S$ (scientific text):

1.1.5 Properties of a good tree t

- t is balanced: all paths from the root to a leaf are approximately of equal length, usually ≤ 4 or at most ≤ 5 .
- Each node in t has a reasonable number of children k : $k \leq 2$ and typically $k \leq 7$ (in maximum $k = 10$)
- For all leaf nodes n , the sizes of $content(n)$ are balanced: each paragraph contains at least two sentences, but is not too long (e.g. ≤ 7 or ≤ 10 sentences)
- For all non-leaf nodes m , the sizes of $content(m)$ are balanced. These introductory paragraphs can be very brief. They just give an overview what will be covered in that chapter or section. Exceptionally you can use more than one paragraph. Notice that it is possible to skip them totally, but be systematic!

Alg. 1 WriteTree(t)

Input: tree of ideas t **Output:** scientific text s

```

1   begin
2       Write  $title(n)$ 
3       if ( $n$  is not leaf node)
4           begin
5               Writing an introductory paragraph:
6               Write  $content(n)$ 
7               for all  $u = child(n)$ 
8                   Write  $title(u)$ 
9               for all  $u = child(n)$ 
10                  WriteTree( $u$ )
11           end
12       else
13           Writing a main paragrap:
14           Write  $content(n)$ 
15   end

```

- For all leaf nodes n_i in preorder, $content(n_i)$ can refer only to previously written contents $content(n_1), \dots, content(n_{i-1})$. E.g. you cannot define deterministic automaton as an opposite of non-deterministic automaton, if you haven't given the definition of non-deterministic automaton, yet. Exception: you can briefly advertise what will be described in the future. E.g. "This problem is solved in Chapter X".

1.2 Goal 2: How to write English?

Every week we will spend some time with English grammar and expressions.

We will practice at least the following topics:

- dividing the text into paragraphs, sentences and clauses
- possessive case (expressing the owner)
- verb tense and number

- word order in sentences
- use of articles
- punctuation
- useful words and expressions

Other important topics??

Idea: personally selected exercises!

1.3 Goal 3: How to write a master's thesis?

Writing a master's thesis is not just writing, but you have to read a lot of material, make experiments, and analyze the results.

The process has the same phases as a software project or any problem solving activity:

1. **Defining the problem:** Discuss with your supervisor and define what is the problem. Try to understand it in a larger context: other related problems and subproblems. Read some introductory article about the topic or select the main books written about your topic. You can already generate several ideas how to solve it, but don't fix anything, yet.
2. **Specification:** Specify your topic carefully. Don't take too large topic! Invent a preliminary title for your thesis and define the content in a coarse level (main chapters). Ask your supervisor's approval! Decide with your supervisor what material you should read or what experiments to make.
3. **Design:** Define the content more carefully: all sections and a brief description what you will write in each of them. Define the main concepts you will need and fix the notations. Then you can write the chapters in any order you want. Make also a work plan: what you will do and when.
4. **Implementation:** You can write the thesis after you have read all material or made all experiments. However, you can begin to write some parts already when you are working. Often you have to change your design plan, but it is just life! Ask feedback from your supervisor, when your work proceeds.

5. **Final work:** Check language and spelling, missing or incomplete references. Check that the structure is coherent. Write an abstract.

Note: In practice it is easier to write other chapters, if you have an introduction, which defines the problem. However, often you have to write the introduction again in the end, when everything else is ready. Conclusions are also written in the end.

1.4 Scientific writing style

Main goal: exact, clear, and compact.

- Compact is usually clear!
- Other desirable properties: smooth and objective

1.4.1 Exact

- Word choice: make certain that every word means exactly what you want to express. Choose synonyms with care. Be not afraid of repetition.
- Avoid vague expressions which are typical for the spoken language. E.g. the interpretation of words which approximate quantities ("quite large", "practically all", "very few") depends on the reader and the context. Avoid them especially if you describe empirical observations.
- Make clear what the pronouns refer to. The reader shouldn't have to search the previous text to determine their meaning. Simple pronouns like this, that, these, those are often the most problematic, especially when they refer to the previous sentence. Hint: mention the noun, e.g. "this test".
→ See Section 4.5 Pronouns.
- Avoid ambiguous and illogical comparisons. These are often due to missing words or nonparallel structures. E.g. "Female students draw concept maps more often than male students."
"The students' points were lower than the average computer science students."

→ See Section 4.9 Parallel constructions.

- Antropomorphism: do not attribute human characteristics to machines or other inanimate things. E.g. a computer cannot understand data, an experiment cannot control variables or interpret findings, a table or a figure cannot compare results.
- Incorrect grammar and careless sentence structures can create ambiguities!

1.4.2 Clear

- Use illustrative titles which describe the essential in a chapter or a section.
- Write a brief introductory paragraph in the beginning of each chapter or section with subsections.
- Divide the text logically into sentences and paragraphs.
 - Direct, declarative sentences with simple, common words are usually best.
 - Paragraphs should be logically uniform and continuous.
 → See Section Sentences
- Place the adjective or the adverb as close as possible to the word it modifies.
→ See Sections Adverbs and Word order.
- Avoid **scientific jargon** = continuous use of technical vocabulary when it is not relevant.
- Write numbers as digits when they refer to sizes or exact measurements. Otherwise the general rule is to write numbers < 10 as words. Express decimal numbers with a suitable precision. See APA pp. 122-129.
- Use punctuation to support meaning.
→ See Section 4.13 Punctuation and [3][78-88].

1.4.3 Compact

- Say only what needs to be said!
- Short words and short sentences are always easier to comprehend

- Weed out too detailed descriptions. E.g. when you describe previous work, avoid unnecessary details. Give a reference to a general survey or a review if available.
- Don't describe irrelevant or trivial observations (i.e. don't mention obvious things)
- Avoid wordiness, e.g.

"based on the fact that" → "because"
 "at the present time" → "now"
 "for the purpose of" → "for/to sg."

Notice: "reason" and "because" have the same meaning → don't use together!

- Use no more words than are necessary. Redundant words and phrases (which have no new information) should be omitted.
- Avoid too long sentences and paragraphs

1.4.4 Smooth

- Verbs: Stay within the chosen tense! No unnecessary shifts in verb tense within
 - the same paragraph
 - in adjacent paragraphs
 → See Section 4.1 Verbs.
- Use verbs rather than their noun equivalents
- Prefer active to passive voice
- Avoid long noun strings!

Hint: sometimes you can move the last word to the beginning and fill in with verbs and prepositions

- Each pronoun should agree with the referant in number and gender.
- Transitional words help to maintain the flow of thought

- time links: then, next, after, while, since
- cause-effect links: therefore, consequently, as a result
- addition links: in addition, moreover, furthermore, similarly
- contrast links: but, however, although, whereas

- Notice: some transitional words (while, since) can be used in several meanings → limit their use to their temporal meaning! (Use "because" instead of "since"; "although", "whereas" or "but" instead of "while", when there is no time connection.)
- Use abbreviations sparingly, especially the abbreviations which you define yourself for technical terms.
 - See Section 4.15 Abbreviations.
- Do not use emphasis (italics) when it is not needed. Use syntax to provide emphasis.
- Metaphors can sometimes help to simplify complex ideas. However,
 - Don't overuse them
 - Don't mix several metaphors in one sentence
 - Avoid cliches

1.4.5 Objective

- Use the 3rd person rather than the 1st person.
- Use emotionally neutral expressions, e.g. "Students suffering from dyslexia" → "students who have dyslexia"
- Use words which are free from bias (implied or irrelevant evaluation) Especially, be careful when you talk about
 - gender
 - marital status
 - racial or ethnical groups
 - disability
 - age
 → See Subsection 4.5.7 Tricks for gender-neutral language.

Hints:

- Select an appropriate degree of specificity. When in doubt, prefer the more specific expression. E.g.
 - Instead of "man" use "men and women" or "women and men" to refer to all human beings
 - Instead of "old people" define the age group "ages 65-83"
 - Instead of "Asian" mention the nationality "Chinese"
- Differences should be mentioned only when relevant. Careless use of biased words can create ambiguities.

E.g. avoid the use of "man" as a generic noun or an ending for an occupational title. Otherwise it can imply incorrectly that all people in the group are male.

Chapter 2

Searching, reading, and referring literature

2.1 Need for references

In scientific writing, we use a lot of references!

- All text must be justified, either based on previous research or your own results.
- It must be clear what the information is based on!
- Often the whole master thesis is based on systematic study of existing literature. The information is just analyzed and organized from a new point of view.
- The sources for scientific writing must also be scientific!

2.2 Source types

The literature sources can be divided into three groups:

1. **Primary sources:** articles in conferences and journals
 - original sources
 - the papers should have appeared in a reviewed journal/conference (i.e. reviewers have checked their correctness!)
 - also technical reports and other theses

2. Secondary sources: textbooks, encyclopedias, glossaries

- sometimes useful analysis or interpretation, but not original sources
- you can use these in master thesis, but only as supplementary material
- often contain useful literature hints (usually under section "Bibliographical notes" etc.)

3. Bibliographies

- support information retrieval
- lists of articles + references
- scientific search engines are on-line bibliographies

Task: Can you trust the information you find in wikipedia? Why or why not? Why wikipedia cannot be used as a reference in a scientific text?

2.3 Collecting literature

Starting point: your preliminary topic.

- goal
- central concepts, theories and themes

How to proceed?

- Begin from familiar: notes, textbooks
- Ask your supervisor
- Check references in useful papers or books
- Make key word queries in scientific bibliographies or electronic libraries (good sources for cs are ACM, IEEE, Elsevier, Springer)
- If you make an internet query, prefer scholar google. Check always that the paper has been published!
- Write down the references – they can be hard to find afterwards! (especially store the bibtex files)

Tasks

- Practise to use the most important digital libraries for cs: ACM, IEEE, and Springer (also series Lecture Notes in Computer Science). Try to find at least one article in each library about Bayesian networks.
- You know only the author and article name, but not any publication details. How can you find the article?
- Try to find the following articles and write full references (authors, title, page numbers, where published, publisher, year):
 - Cover and Van Campenhout: On the possible orderings in the measurement selection problem.
 - "T. Winters and T. Payne: What do students know? An outcomes-based assessment system.
 - Dash and Cooper: Model Averaging for Prediction with Discrete Bayesian Networks.
 - Aggarwal et al.: On the surprising behavior of distance metrics in high dimensional space, LNCS 1973.
 - A.K. Dey and G.D. Abowd: Towards a better understanding of context and context-awareness.
 - B. du Boulay: Can We Learn from ITSs?

2.4 Reading

- You cannot read everything throughout!
 - ⇒ Read only as much as is needed to
 - recognize that the article is useless
 - get the useful information
- Often an iterative process: important articles are read several times!
 - Title and abstract
 - Scan through introduction and conclusions/summary
 - Check references: new good references?
 - Important or useful sections and subsections (the organization is usually described in the introduction)

- In the beginning, don't get stuck in details; don't check individual words or references; believe the arguments
- If the article is important, then try to understand it properly, and check the referred sources
- Ask yourself:
 - What is the main idea?
 - What is the contribution (the new or interesting thing)?
 - What is important for you? Where it is presented?
- If you don't understand the article
 - Try to invent examples or simulate the solution yourself
 - Ask your fellows, supervisor, experts
 - Ask (yourself and others) specified questions: Where this equation comes from?, What is the relationship between these algorithms? Can you give an example for this definition?
 - Often understanding happens as a background process!

2.5 References

2.5.1 Referring in the text

- The reference is usually immediately after the referred theory, algorithm, author, etc.

"According to Dijkstra [Dij68] goto statement should be avoided..."

"*Bloom filters* [Ref03] solve this problem..."
- The reference is in the end, if you refer to the whole sentence or a paragraph. (before full stop, if it refers only to the previous sentence, otherwise after the full stop)

"Goto statement should be avoided [Dij68]." Notice the difference: now you agree with Dijkstra!

- Sometimes there is no one "original" source, but a new concept or theory has developed little by little. In this case, you can give a couple of example references where the reader can find more information.

"*Context-aware computing* (see e.g. [DeA99,CaK00]) is a new approach..."

Other examples

"Minsky and Papert [MiP69] showed that..."

"Version spaces were introduced by Mitchell [Mit77]."

"Nonparametric methods are described by Randles and Wolfe [RaW79]."

"The principles of CART were first described in Breiman et al. [BrF84]." or

"The principles of CART were first described in [BrF84]."

"Prolog was primarily used for writing compilers [VRo90] and parsing natural language [PeW80]."

"The general procedure for skolemization is given by Skolem [Sko28]."

"Other methods are summarized in e.g. [Bro92,Woo96]."

"The problem is *NP*-complete [Coo00]."

2.5.2 Reference notations

- A common style: three letters from the authors' names + the last numbers from the year. E.g. [Ham06]
- Sometimes numbers
- A humanist style: surname + year. E.g. [Hämäläinen, 2006]

Notes

- If you refer to a book, give the chapter or the page numbers!

- If you use only one chapter from a book, you can give the chapter number and title in the reference list. If you use several chapters, give the chapter number in the reference: [WMB94, chapter 2]
- The page number is always given in the text "[Bro92,pp.3-7]"
- If you have several references, list them together: [Bro92,Woo96]

2.5.3 Reference list

The last chapter in your thesis (or section in a paper) is called References. For each source, give

- The authors: surname and the first letters of the first names. If you have ≥ 3 authors, give only the first one, and replace the others by "et al." E.g. "Mitchell, T.M. et al."
- The title
- Publisher, (place) and year.
- Page numbers, if the source is a paper or a chapter in a collection written by several people.
- The title and the editors of the collection, if the paper has appeared in a collection (e.g. conference articles).
- The volume (always!) and the issue number after a comma or in parentheses, if the source is a journal paper.
- Series, if the book has appeared in some series. (E.g. Lecture Notes in Computer Science + number)

Journal and conference articles

Most of your references should belong to these groups!

1. A journal article:
<Authors>: <Title>. <Journal>, <volume> (<issue>): <pages>, <year>.
2. A conference article:
<Authors>: <Title>. In <book title>, <pages>, <year>.

Examples:

A journal article:

Cheng, V., Li, C.H., Kwok, J.T. and Li, C.-K.: Dissimilarity learning for nominal data. *Pattern Recognition*, 37(7):1471–1477, 2004.

A conference article:

Salazar-Afanador, A., Gosalbez-Castillo, J., Bosch-Roig, I., Miralles-Ricos, R. and Vergara-Dominguez, L.: A case study of knowledge discovery on academic achievement, student desertion and student retention. In *Proceedings of the 2nd International Conference on Information Technology: Research and Education (ITRE 2004)*, pages 150–154, 2004.

Note 1: In the previous, you could replace the last authors by <First author> *et al.*

Note 2: Sometimes a comma or a full stop is used instead of the colon ":".

Books

1. A book:
<Authors>: <Title>. <Publisher>, <year>.
2. An article in a collection:
<Authors>: <Title>. In <Editors>, editors, <Book title>. <Publisher>, <year>.
3. A chapter in a book (by one author):
<Authors>: <Title>, <Book title>, chapter <chapter number>. <Publisher>, <year>.

Examples:

Lord, F.M.: *Applications of item response theory to practical testing problems*. Lawrence Erlbaum Associates, 1980.

D.W. Scott and S.R. Sain: Multi-dimensional density estimation. In C.R. Rao and E.J. Wegman, editors, *Handbook of Statistics—Vol 23: Data Mining and Computational Statistics*. Elsevier, Amsterdam, 2004.

Smyth, P.: *Data mining at the interface of computer science and statistics*, volume 2 of *Massive Computing*, chapter 3. Kluwer Academic Publishers, Norwell, MA, USA, 2001.

Technical reports and theses

Use technical reports and master theses only exceptionally. They have not been reviewed (or at least not as well as real publications)! The doctoral theses have usually gone through a careful review.

1. A technical report:

<Authors>: < Title>. <Report series> <report number>, <Institution>, <year>.

2. A master thesis:

<Author>: < Title>. Master's thesis, <Department>, <University or institution>, <year>.

Examples:

Dey, A.K. and Abowd, G.D.: Towards a better understanding of context and context-awareness. GVVU Technical Report GIT-GVVU-99-22, College of Computing, Georgia Institute of Technology, 1999.

Norris, A.: Multivariate analysis and reverse engineering of signal transduction pathways. Master's thesis, Department of Mathematics, Institute of Applied Mathematics, University of British Columbia, 2002.

Referring to internet articles

By default, all sources should have been published! Refer to internet articles only if they have been published in an internet journal! Other papers can be referred to only for a good reason (i.e. if the information is not available elsewhere).

- If you refer to an article, which is available in the internet but has been **published in a paper form**, give the normal reference to the paper version. The url address is not necessary, but it can be given to help the reader to find the article.

- If an article has been **published only in an internet journal**, give the reference like to any common journal article, but replace the page numbers by the url address.
- If the article **exists only in the internet but is not published**, give the retrieval date and the url address in the end of reference. E.g. "Retrieved March 3, 2006, from <http://www.kissastan.edu/bnetworks/bnarticle.html>."
- If you refer to an **internet textbook**, give the normal book information if possible (Author, book title, publisher, year). Sometimes the internet book have also a publisher like a company, institution, etc.). If it doesn't have any publication year, then give the date when the book was accessed by you. Always give the url address.

Examples:

An unpublished internet source:

Fox, E.: Details of clustering algorithms (lecture notes). <http://maya.cs.depaul.edu/classes/ds575/clustering/CL-alg-details.html>, 1995-1996.

An internet textbook (a special case, no author is mentioned, only the company – Xycoon – which has produced the book.)

Xycoon: *Linear Regression Techniques* (Online Econometrics Textbook), chapter II. Office for Research Development and Education, 2000-2006.

Referring to software

- **Standard software tools and programming languages** like \LaTeX , Matlab, and Java do not need any references.
- If you use **special tools or programs** with limited distribution it is recommendable to give the reference. E.g.

BCAT [A Bayesian network tool]. Retrieved March 3, 2006, from <http://www.kissastan.edu/bcat-tool/bcat3.0.html>.
- If you know the organization which has produced the work, give it in the publisher position (before retrieval information). If somebody has rights to the software, mention her/him as the author.

Examples:

Bourne, S. The UNIX System. International Computer Science Series, Addison-Wesley, 1982. (a book)

Gannon, D. et al. Programming environments for parallel algorithms. In *Parallel & Distributed Algorithms*, ed. M. Cosnard et al. North-Holland, 1989. 101-108. (an article in a collection)

Grahne, G., Nykänen, M., Ukkonen, E. Reasoning about strings in databases. *Journal of Computer and System Sciences* 59, 1 (1999), 116-162. (an article in a journal)

- More examples in the exercises!
- Notice that the journal and book titles are written with capital letters!

2.5.4 References in latex

- Latex creates the notations automatically!
- You can select the style by setting the style parameter for the bibliography environment
- Just invent a unique label string for each source, which you use in references by command `\cite`. E.g. `\cite{whamalai}`, or if you want to refer page 3, `\cite[3]{whamalai}`
- In the References, define what the label refers
- If you have alot of sources, you can manage them automatically by `bibtex` (we will return to bibtex later in this course)

We will practise these in the computer class!

2.6 Citations

Direct citations are seldom used in cs texts.

If you use them, make clear who is responsible for what!

- If you express somebody else's ideas by your own words, then put the reference immediately after the idea.
- If you express somebody's ideas by her/his own words, then it is a citation!
- If quotation marks "..." are missing, it is called plagiarism!
- As a rule of thumb: if you borrow more than 7 words, then use quotation marks.
- If the citation is translated, then mention also the translator in reference.
- If you add or dropp words, show it by [] or
- If you emphasize words, mention it.
- An example:

Nykänen [Nyk03] remarks that unreferrred citation is plagiarism (translation and emphasis by the author): "If you borrow more than *seven* words ... from a text it [borrowing] is called *literary theft*."

2.7 Your own opinions?

By default: no opinions, everything must be based on facts!

If you have to express your own opinions, then

- *In principle*, everything without references is your own interpretation.
- However, make clear, what is borrowed and what are your own opinions!
- Often clearer to write a separate section called "Discussion".

Chapter 3

Use of tables, figures, examples, and similar elements


3.1 Figures and tables

3.1.1 General rules

- Notice: all graphs, pictures or drawings are called **figures**.
- Figures illustrate the models or the results, and tables give summaries. Usually there are never too many figures and tables, but remember two rules
 1. All figures and tables must be referred in the text.
 2. There is no sense to express trivial things as a figure or a table (e.g. a table, which contains only two lines).
- If there is no need to refer to a figure/table in the text, the figure/table is probably not needed!
- Avoid repeating the same data in several places. An informative table or figure supplements rather than duplicates the text. Refer to all tables/figures, and tell the reader what to look for.
- Discuss only the most important items of the table in the text.
- A figure should be easy to understand. Do not present any unnecessary details.
- If two tables/figures should be compared, position them next to each other.

3.1.2 Vector graphics

Draw the figures by a tool which uses vector graphics, not raster graphic (bitmaps)! There is a big difference in quality:



(The bitmap file was also about 30 times larger!)

3.1.3 Captions

- Each table or figure should be understandable by its own. Give a brief but clear explanation or a title in the caption.
- Explain all special abbreviations, symbols, special use of underlinings, dashes, parentheses, etc.
- Use the same style in all tables. If you use abbreviation *stdev* for standard deviation in one table, then do not use *sd* in another table.
- If you copy (draw again) a table or a figure from some other source, then give a reference to the original source in the end of caption, e.g. "Table 5. Plaa-plaa-plaa. Note. From [ref]."
A page number is needed, if the table or figure is from a book.

3.1.4 Tables and figures in latex

- Notice: Refer to tables and figures by numbers. Do not write "the table below". In latex this is implemented by using labels

- The tables are encapsulated between `\begin{table}` and `\end{table}` commands. Similarly, the figures are encapsulated between `\begin{figure}` and `\end{figure}` commands.
- Inside table or figure environment you can write the caption for the figure/table, and define a label (after the caption).

3.1.5 Expressions

When you refer to figures and tables you can use the following expressions:

- The results are summarized/reported in Table 1
- The results are represented in
- Figure 2 illustrates
- In the Figure we observe
- The model is given in Figure 7
- etc.

Notice the capital letters!

3.2 Lists

- Lists are not separate objects, and they are introduced in the text.
- Use list only when they are necessary! E.g.
"The main criteria of X are (the following):"
– Criterion 1
– Criterion 2
– ...

Or "The method consists of five steps:" + a list

- If you list only a couple of items, you can usually write them without a list. Use lists when the clarify things!

3.3 Referring to chapters or sections

- The following chapters and sections can be referred easily in latex, even if you don't know there numbers yet.
- You just have to define a unique label name for the referred chapter.
- In the beginning of the referred chapter, you write

```
\chapter{Conclusions}
\label{concl}
```

And when you want to refer it you write

"The final conclusions are drawn in Chapter `\ref{concl}`

- Notice that you can invent the labels yourself, if they are just unique and not reserved words in latex. E.g. above label could be simply "c", but now there is a danger that you will give the same name for another object.

Useful expressions when you refer to chapters or sections

- The problem is discussed in Chapter *X*
- We will return to this topic in Section *Y*
- This problem is analyzed in ...
- etc.

Notice the capital letters!

3.4 Algorithms

- Give only the main algorithms in the text, and in an appropriate abstraction level (pseudocode)
- Fix the pseudocode notation and use it systematically

- Simple methods can be described by a numerated list of steps
- Logical and set operations are often useful when you describe algorithms in an abstract level (for all $x_i \in X$, $T = T \cup \{p_i\}$, find such $S \subsetneq T$ that $q(S), \dots$)
- If you write longer algorithms, insert them into a figure or an environment of their own. Now they can be referred like tables and figures: "The *EM* algorithm for probabilistic clustering is given in Alg. 1"
- Later in this course, we will introduce a latex environment for writing algorithms.

3.5 Examples and definitions

3.5.1 Definition

A good definition

- explains the defined concept.
- is not a circular argument (where x is defined by y and y by x).
- is not expressed by negative terms, if possible. (Sometimes you cannot avoid this. E.g. statistical dependency is defined by statistical independency, because independency can be defined unambiguously.)
- doesn't contain unclear, vague, or descriptive language (i.e. is exact).
- defines only what is needed (i.e. the scope is restricted).

3.5.2 In latex

In latex, you can easily define environments for writing examples or definitions in a systematic way. The examples or definitions are numbered automatically and you can refer to them without knowing the actual number.

In the header you define `\newtheorem{example}{Example}`

In text you write

"The problem is demonstrated in the following example:"

```
\begin{example}
\label{example:bayes}
Write the example here.
\end{example}
```

When you want to refer to the example afterwards, you can write
 "Let the problem be the same as in Example `\ref{example:bayes}`, ..."

3.5.3 Expressions for referring to a definition

- The definition of ... is the following:
- The definition of ... is as follows:
- Formally, we define

3.6 Equations

3.6.1 Without equation numbers

If you don't need equation numbers, you can write the equations simply between double \$ characters: `$$<equation>$$`.
 E.g. "The prior probability of X is updated by *Bayes rule*, given new evidence Y :"

$$P(X|Y) \frac{P(X)P(Y|X)}{P(Y)}.$$

Remember the full stop in the end of the equation, if the sentence finishes!
 If the sentence continues, then you need comma:
 "The dependency is described by equation

$$< equation > ,$$

where a is sg. and b is sg."

3.6.2 With equations numbers

If you want to give an equation a reference number, you have to use commands `\begin{equation}` and `\end{equation}`.

$$P(X|Y) \frac{P(X)P(Y|X)}{P(Y)} \tag{3.1}$$

Now the equation is written in the math mode, and you don't need \$ characters.

If you want to refer to some previous equation, you have to give it a label like for examples.

3.6.3 Text inside equations

Often you need also text inside an equation. To write text, you have to change to the text mode by `\textrm{text}` command.

For example, writing

$$A = \{(x,y) \mid x \in X, y \in Y \text{ and for all even } x, y \text{ is odd}\}$$

produces the following:

$$A = \{(x, y) \mid x \in X, y \in Y \text{ and for all even } x, y \text{ is odd}\}$$

Chapter 4

Grammar with style notes

4.1 Verbs

Remember two important rules when you use verbs:

1. The number of subject determines the number of verb
2. Do not mix inconsistent tenses

4.1.1 Number and person

- When the subject is singular third person (she/he/it), the verb needs suffix -s (in the present, positive sentence). The auxiliary verbs have their own special forms (is, can, has, does).
- Be careful with special phrases:
 - "A number of new experiments were done" (plural)
 - "Plenty of time was spent..." (singular)
 - "A few data points belong to cluster X" (plural)
- Notice: when the subject is composed of a singular and a plural noun by "or" or "nor", the verb agrees with the noun that is closer.
- If the number of the subject changes, retain the verb in each clause.
E.g. "The positions in a sequence were changed and the test rerun" →
"The positions in the sequence were changed, and the test was rerun."

4.1.2 Tenses (temporal forms)

- Default: the present
- Past or present perfect (but not both) when you describe previous research (literature review)
- Past tense to describe the experiments and their results

- In scientific writing, the default is present (is). With present, you can combine perfect (has been) (and future, will be) if needed, but not the other tenses.
- Use past tense (was) only for good reasons. It expresses that something belongs to the past and has already finished. E.g. when you report your experiments.
- Past perfect (had been) is seldom needed. It is used, when you describe something in the past tense, and you refer to something which has happened before it. E.g. "We tested the system with data which had been collected in *Programming 1* course."
- Notice: Use "would" with care! It expresses a conditional action. E.g. "it would appear" → "it appears".

4.1.3 Active or passive voice, which person?

Use of passive voice

- In active voice the actor is known, while in passive voice it is unknown.
- In the basic form of passive ("sg is done"), you can express also the actor ("sg is done by sy"). Expressing the actor is always more informative!
- It is often recommended to prefer active voice, but in scientific writing passive voice is sometimes convenient. It allows us to draw the reader's attention to the phenomenon or the event, instead of the actor. E.g. "The probabilities are updated by Bayes rule", "The values are recorded every minute".

- Often the purpose determines the voice. Usually we want to begin with a familiar word and put the new information in the end. E.g. before an equation or a definition, we can say "The model is defined as follows."
- However, do not overuse passive, and do not chain passive expressions. As a rule of thumb, use only one passive per sentence
- Read Section 11 in Strunk: "Elements of style"! (link in the course page)

"It is" and "There is/are"

- A formal subject "it" is sometimes used in passive expressions: "It is often recommended [reference] that..."
- Typical verbs in this expression are: say, suppose, consider, expect.
- "There is/there are" is a similar expression, but now we don't need the passive. This expression is used when the real subject (what is somewhere) comes later and we haven't mentioned it before.

E.g. "There was only one outlier in the data set 1" v.s. "The outlier was in the data set 1."

- The verb is nearly always "be" (sometimes "exist" or something else)
- Notice that the verb follows the real subject's number. E.g. "There were a lot of outliers in the data set 1."
- "There is" expression is seldom needed in scientific writing, and often you can circumvent it: "The data set 1 contained a lot of outliers."

Other passive expressions

- "We" can be used as passive. E.g. "In Chapter X, we define the basic concepts." However, it is better to say "The basic concepts are defined in Chapter X."
- "You" is sometimes used as passive, especially in manuals. Don't use it in scientific text!
- "People" when you refer generally to people. Quite a vague expression, not recommendable!

Person?

- Basic rule: avoid the first person (no opinions, but facts). However, sometimes we can use "we" as a passive expression. Problem: whom you are referring to, if you write alone?
- Referring to yourself: you can talk about "the author". E.g. "All programs have been implemented by the author." Notice that I don't guarantee that your supervisor likes this! Some supervisors prefer "I".
- Gender-neutral language: when you refer to an unknown user, student, etc. try to use gender-neutral language.
 - The most common way is to say "she/he" or "he or she". Some authors are careful about the order of her/him, as well! E.g. you can use every second time "she or he" and every second time "he or she". Remember to put the other pronouns in the same order ("She/he tries her/his best")
 - "One" is neutral, but sounds often awkward. "The learner can define one's own learning goals"
 - Sometimes you can avoid the problem by using plural.

4.1.4 Other notes

- Do not use short forms "isn't, can't, doesn't", but "is it, cannot, does not".
- "be verb+ing" form when something is currently happening or takes some time. E.g. "Thread 2 can be started in the same time when thread 1 is still running"
- Some verbs require that the following verb is in -ing form:

{enjoy, avoid, succeed in, finish, keep, mind, practice, risk} + verb + ing

E.g. "Students enjoyed learning new things"

- Special phrases: "be used to", "be (un)likely to"

4.1.5 Noun syndrom

"Noun syndrom" = use of common verbs {be, do, have, make, ...} + a noun

E.g. "We can get better understanding..." , "Different people have different responses to the methods"

⇒ Prefer illustrative verbs!

Task: How would you correct the previous sentences?

Useful verbs:

represent, analyze, compare, demonstrate, illustrate, summarize, conclude, list, define, report, model, implement, design, consider, involve, simplify, generalize, perform, be based on sg., take into account sg., depend on sg, increase, decrease, evaluate, predict, assign, require, satisfy, ...

Task: What is the difference between the following concepts? Give examples when they are used!

evaluate – assess
 compute – calculate
 derive – infer
 approximate – estimate
 discover – find

4.1.6 Often needed irregular verbs

The following list contains irregular verbs which are sometimes needed in computer science expressions, excluding the most common ones (which all of you know!):

choose – chose – chosen
 find – found – found
 hide – hid – hidden
 hold – held – held
 lead – led – led
 lose – lost – lost
 rise – rose – risen
 seek – sought – sought
 show – showed – shown

spin – spun – spun
 split – split – split
 spread – spread – spread
 stick – stuck – stuck

In addition, the last consonant can be doubled before -ed, if

- if the spell is short and stressed: planned, dropped,
- the consonant is 'l': travelled, modelled, biassed

Notice: American English is not so strict, and **ispell** can complain about correct spelling!

Exercise

Read the given text part and underline useful expressions. Search especially the following kind of expressions:

- Useful verbs and their prepositions in computer science texts.
- How to list advantages or disadvantages without repetition (usually in the beginning of sentences).
- How to compare approaches?
- Any other useful expressions!

The same text is given to two people. Thus, you can discuss with your pair, if you don't understand something. However, it is not important if you don't understand all words.

4.2 Nouns

Nouns are usually easy. If you don't know a word, you can check it from a dictionary – just be careful that the meaning is what you want.

Often a better way is to move a term from your passive vocabulary to the active one – then you know also the use context!

4.2.1 Plural forms

Irregular plural forms

half	–	halves
life	–	lives
axis	–	axes
matrix	–	matrices
child	–	children
person	–	people
automaton	–	automata
vertex	–	vertices
analysis	–	analyses
thesis	–	theses
basis	–	bases
series	–	series
medium	–	media
criterion	–	criteria
phenomenon	–	phenomena

Data is originally the plural form of **datum**, but nowadays it is frequently used as a singular word. The same holds for **hypermedia**. "The data is biassed", "Hypermedia offers a new way to implement learning environments"

Notice also:

- If the suffix is {-s,-ss,-sh,-ch,-x,-z} in singular → -es in plural, e.g. research – researches, approach – approaches, quiz – quizzes
- The same happens with most words which have suffix -o, unless the word is abbreviated or of foreign origin. E.g. cargo – cargoes, but photo – photos, dynamo – dynamos
- After **consonant** -y changes to -ies in plural. E.g. floppy – floppies.

Singular words which look like plural forms

The names of disciplines: mathematics, statistics, physics.
 "Statistics is the precessor of data mining."

news is also singular!

"Good news is that the algorithm works in $O(n)$ time"

4.2.2 Countable and uncountable nouns

Countable nouns (C-words) refer to things which can be counted, while things referred by **uncountable** nouns cannot be counted.

Uncountable nouns (U-words) can be divided into three groups:

1. Words expressing material: water, air, wood, ...
2. Abstract words: life, time, work, strength, ...
3. Exceptional: advice, information, news, equipment, money

Notes

- Uncountable words are missing the plural form!
- Notice that sometimes a noun can be either a countable or an uncountable word depending on the meaning. E.g. science (when you refer generally to natural sciences) – a science (when you refer to a discipline).
- The words in group 3 are grammatically *singular* but they have also plural meaning. If you want to refer to a singular piece you have to express it in another way: "a piece of information", "an item of news", "a bit of advice".

"This information **is** important"! "All advice **is** good!"

4.2.3 Extra: differences between British and American English

Some nouns have different spelling in British and American English. Try to use systematically either British or American forms!

We will return to other differences in the end of course.

British	American
colour	color
neighbour	neighbor
behaviour	behavior
favour	favor
honour	honor
metre (unit)	meter
meter (device)	meter
centre/center	center
analogue	analog
dialogue	dialog
encyclopaedia	encyclopedia
arguement	argument
judgement	judgment
programme (academic, tv)	program
program (computer)	program
defence	defense
practice (noun) ¹	practise
maths	math
speciality	specialty

4.3 Compound words

The practices vary, and it is hard to give exact rules when words should be written together, with a hyphen –, or separately.

- If the words have become one concept, they are usually written together, e.g. "software", "keyboard", "database"
- If the independent meaning of words is emphasized, they are hyphenated, e.g. "non-smoker" (cs example?)
- Hyphen is often used when the concept consists of more than two words: "depth-first search", "between-cluster variation", "feed-forward neural network", "first-order logic"
- Multiple word adjectives are usually hyphenated, e.g. "data-driven", "model-based", "class-conditional"
- If the first part is a symbol or an abbreviation, the word is hyphenated, e.g. "NP-complete", "k-nearest neighbour method", "3-dimensional".

- Some common phrases have become compound words in American English, but remained as phrases in British English. E.g. in American English you can spell "trademark", but in British English "trade mark" or "trade-mark". (cs example?)
- Notice that many words which are compound in your mother tongue are written separately in English: "data set", "density function", "wave length" (this is typical especially for long words)

Problem: how should we spell the following computer science terms?
 overfitting, nondeterministic, time demanding, drop-out, EM-algorithm

4.4 Articles

4.4.1 Position

Basic rule: before the noun phrase (a noun + preceding attributes)

Exceptions:

1. {what, such, quite, rather, half} + a/an + noun phrase

"Half an hour", "quite a fast system"

(In American English the rules are not so strict concerning quite, rather, and half.)

2. {too, as, so, how, however} + adj. + a/an + noun


"Too great a distance", "so long a time", "as big a difference"

3. {all, both, double, twice, half} + the + noun

"All the methods", "twice the time", "double the amount"

4.4.2 Use of articles

Basic rules:



Definite and indefinite concepts

A concept is indefinite, when you mention it first time, and it is not clear from the context. Usually this kind of expressions are describing: "There was a time delay between processes A and B ."

It is definite, when

- you mention it again ("The time delay was about 10 ms")
- the context defines what you mean ("The left-most bit is always 1.", "The result of process A were correct.")
- the concept is familiar to everybody (the Earth, the sun, the moon)

Usually this kind of expressions are defining: "The delay between two processes P_1 and P_2 is $t_{end}(P_1) - t_{start}(P_2)$."

When you refer to an indefinite concept

a singular C-word \rightarrow a/an

a plural C-word + positive clause \rightarrow some

a plural C-word + negative or interrogative clause \rightarrow any

a U-word + pos. clause \rightarrow some

a U-word + neg. or interr. clause \rightarrow any

When you refer to something generally

a plural C-word or a U-word \rightarrow no article

"Students need time to process new information"

When you refer to the whole class

a singular C-word \rightarrow a/an

"The computer cannot solve all problems"
(which means that none of the computers can solve all problems, the property concerns the class of all computers)

Exceptional expressions

Sometimes you can use a/an article with an abstract word:

- when the word is preceded by a describing relative clause "There is a danger that the model overfits"
- expressions "a /short/long time", "a while"

The article with ordinal numbers and some adjectives

Definite article "the" is used


- when the noun is preceded by an ordinal number ("The first attribute describes...")
- when the noun is preceded by an adjective expressing order ("the next attribute", "in the following chapter")
- with adjectives same, only, right, wrong ("The results were the same", "The only model which has this property is X")

Notice: "the" is not used with ordinal numbers or adjective "last", when you refer to the performance in a competition ("Program X came first and program Y was last when the programs were compared by the Z test.)

Task: Try to draw a complete decision tree for selecting articles

4.4.3 Hints

A better decision tree for articles:

**When a noun can be used as a countable or an uncountable concept**

The use of articles depends on the concept which is meant in the **current context**. For example, word *memory* can have at least three meanings:

1. The store of things learnt or the power or process of recalling (in our brains) \rightarrow generally uncountable. "Memory can be divided into two classes: short-term memory and long-term memory. The short-term memory..." However, you can say: "I have a good memory".
2. The object of recall \rightarrow countable. "My earliest memories"
3. The capacity of a computer to store information \rightarrow uncountable. In the cs context, you can suppose it as a known concept and use article **the** (always?). "The data is loaded into the main memory"

Time is another word which can be used in different ways. It can mean a limited period or interval, an indefinite period or duration, or it can express an occasion of repeated actions. In addition, it occurs in several phrases. By default, time is uncountable (either no article or article "the").

1. Without any article:
 - "Time will show..."
 - "It is time to do sg."
 - "It takes time..."
 - "on time" (or "in time")
2. Article "the"
 - "all the time"
 - "at the same time"
3. Article "a":
 - "It is a long time..."
 - "one at a time" (i.e. one by one)
4. Plural:
 - "many times"
 - "modern times"

Hint: could you use "any" or "some"?

Hint: Try if you could use words **any** or **some** before the noun. If you can, it is indefinite. This means that you cannot use article "the".

"The grammar is not strict in (any) spoken language"
 "The disk contains (some) space for back-up files"
 "There is some reason for this behaviour" → "There is a reason for this behaviour".

Hint: are you referring to sg particular?

If you have need to say "This particular x ", say "The x ", where x is a noun. "This particular" hints that you have already talked about x and it is known (definite).

Don't use pronouns, if you mean article "the"! "This x " can often be replaced by "the x " (where x is a noun).

Hint: could you use \exists or \forall ?

Imagine the concept C as a set (universum) of all its instances. E.g. concept "computer" is a set of all possible computers.

If you want to express $\exists x \in C$ such that $P(x)$ (there is some x in C for which holds property P), use article **a/an**. "A computer could solve this problem faster." (maybe not all of them, but some computers can)

If you want to express $\forall x \in CP(x)$ (for all x in C property P holds; i.e. it holds for the whole set C), use article **the**. Now you refer to the whole class of xs in C , which is definite. "The computer can solve only mechanical problems." (all computers can do this)

Notice that this technique suits only for countable concepts!

Articles before variable names?

In cs, we often use the names of variables, data sets, models, etc.

- When you use the name without any modifying word → no article
 "X is independent from Y", "S contains no outliers"
- When you use a modifying word like "set", "vector", "model" etc. before the name →
 Two habits:
 1. No article when you mention the entity for the first time. After that use definite article "the", or
 2. Never any articles.

Exercises

Task 1: Add the correct articles to the following sentences or mark the absence of articles by –!

1. ____true positive rate was higher in ____method X than ____method Y .
2. ____method X had ____higher true positive rate than ____method Y .
3. ____memory means ____power or ____process of recalling.
4. X is ____algorithm which solves ____Travelling Salesman problem. ____algorithm X is ____fastest among all ____known TSP algorithms.
5. ____data set X follows ____Normal distribution with ____parameters μ and σ^2 . ____parameter μ is ____mean of ____set X and ____parameter σ^2 is ____variance of ____ X .
6. ____problem X belongs to ____class P , if it has ____polynomial time algorithm Y . ____time complexity of ____algorithm Y is $O(p(n))$ where n is ____size of input and p is ____polynomial function.
7. In ____next section we introduce ____theory of ____Bloom filters.
8. To assess ____students' program codes, we construct ____bug library. ____bug library contains all ____errors which have occurred in ____students' programs.
9. ____infinite time Turing machines extend ____idea of ____traditional Turing machines.
10. In ____pattern extraction we produce ____set of ____new attributes from ____original ones. ____goal is to find such ____set of attributes which describes ____data ____best. ____goodness of representation depends on ____modelling purpose, and in ____practice we have to define ____appropriate goodness measure.
11. In ____clustering analysis we divide ____data points into ____clusters such that all ____data points in one cluster are similar to each other but different from ____data points in ____other clusters.

12. ____episode is ____set of ____events which occur together. If ____order of ____events is fixed, ____episod is called serial.
13. There is always ____danger that ____model overfits. ____danger that ____model overfits is unavoidable.
14. ____main parts of ____computer are ____central unit, ____hard disk, and ____i/o devices. ____central unit is responsible for all ____computation.

Task 2: Are the following words countable or uncountable? Which articles can you use with them? Give example sentences!

- space
- requirement
- model
- program
- computation
- power
- capacity
- data
- information
- knowledge
- recognition
- software
- hardware
- code
- value
- property
- strength

- weakness
- use
- usability

4.5 Pronouns

Two important rules when you use pronouns:

1. When a pronoun refers to a noun in the preceding sentence, make sure that the **referred is obvious!**
2. Each pronoun should agree with the referant in number and gender.

4.5.1 Unclear references

- The simple pronouns – it, they, this, that, these, those – do often create ambiguities.
- Goal: the reader should not have to scan the previous sentence to understand what you mean.
- Recommendation: **Avoid them, when possible! If you use them, always check twice that the meaning is not ambiguous!**
- Never use "those" – it is usually a sign that the sentence is foggy.
"There was no difference in the accuracy of models between those which belonged to group *A* and those which belonged to group *B*. → "The models in groups *A* and *B* were equally accurate."
- Do not use "it" to begin a sentence, if it is not absolutely clear, what it refers! (Exception: expressions like "It is difficult to estimate..." require "it" as a formal subject.)
- Hint: often you can replace "this/these" + noun by "the" + noun!
"This experiment demonstrated..." → "The experiment demonstrated..."

4.5.2 Pronouns which require singular verb form

{everybody, anybody, nobody, everyone, anyone, no one} → verb is singular

4.5.3 Every vs. all

every	all
+ singular noun	+ singular or plural noun
when you talk generally	when you mean sg certain

4.5.4 Many vs. several

several < many
several \approx some

4.5.5 Phrases

one – the other (singular)
some – the others (plural)

each other, e.g. "X and Y affect each other"

This kind of + singular noun, e.g. "This kind of system..."
If you want plural you have to say "Systems of this kind..."

on one's own, e.g. "The students solved the task on their own".

"**All but one** point belong to cluster 1"

"**First of all**, we have to initialize the parameters"

"**On the one hand**, the system is stable, **on the other hand**, it has poor accuracy"

"The initialization phase is time demanding. **Otherwise** the program is very efficient."

4.5.6 Relative pronouns

Relative pronouns (who, which, that) are used in **relative clauses**. To understand their use we have to study also relative clauses.

→ Section Relative clauses.

4.5.7 Extra material: Tricks for gender-neutral language

Trick	Incorrect	Correct
Use plural	The student returned his solution.	The students returned their solutions
Article "the"		The student returned the solution.
Drop the pronoun	The user himself defines the preferences.	The user defines the preferences.
Special expressions	man, mankind man-machine interface Researchers' wives mothering chairman Mrs. Smith housewife	people, human beings, humankind user-system interface, human-computer interface Researchers' spouses parenting, nurturing chairperson, chair, head Jane Smith homemaker

4.6 Adjectives

These seem to be well mastered, just two notes:

1. **Avoid vague adjectives!**
2. How to derive and use comparative and superlative forms?

4.6.1 Vague adjectives

- Do not use vague adjectives. Especially the adjectives which describe amounts (large, small, huge) are very context-sensitive!
- E.g. for statisticians, a data set of 500 rows is quite large, while for a data miner it is extremely small → numbers are more exact!
- The expressions become even vaguer, when you add modifiers "quite", "rather", "very", etc. Skip them always when possible!

4.6.2 Comparative and superlative

Basic rule: use -er/-est for short adjectives, and more/most for longer ones.

Adjective type	Comparative	Superlative	Examples
1-syllable adjectives	-er	-est	strong, stronger, the strongest
2-syllables adjective with suffix -y, -ow, -er	-er	est	narrow, narrower, the narrowest
2-syllables adjective with suffix consonant + le	-er	est	noble, nobler, noblest
all other adjectives	more + adj.	most + adj.	efficient, more efficient, the most efficient
participles verb+{-ed, -ing} when used as adjectives	more	most	interesting, more interesting, the most interesting
irregular adjectives			good, better, the best bad, worse, the worst

Notice the spelling:

- the consonant is doubled in a short stressed syllable: big, bigger, the biggest
- **-y** becomes **-ie**: easy, easier, easiest

4.6.3 When you compare things

When you use the comparative, make clear what you are referring!

"Problem X is easier to solve" (than what?)

Basic structure:

X is **as** efficient **as** Y (X and Y are equally efficient)
 X is more efficient **than** Y

Exceptional expressions:

X is **different from** Y

X is **similar to** Y

X is **the same as** Y

X is **inferior/superior to** Y

X is **equal to** Y (Notice: use " X equals Y " only in math, for $X = Y$)

4.7 Other word groups

Verbs, nouns, pronouns, numerals, and adjectives compose the skeleton of sentences. The additional stuff consists of

- adverbs,
- prepositions, and
- conjunctions.

Adverbs modify verbs, adjectives, or other adverbs, while conjunctions join words, clauses or sentences together. Some words can be used either as adverbs or as conjunctions. Prepositions are always connected to other words (nouns, pronouns, or verbs in -ing form). Prepositional phrases ("in the beginning", "through a gateway") are used in the same way as adverbs.

4.8 Adverbs

Adverbs answer questions When? Where? What? Why? How?
 They express

- time (immediately, now, soon, later, next)
- place (here, there, everywhere)
- manner (easily, temporarily, well, poorly)
- degree (very, quite, ...) → Avoid in scientific texts!
- frequency (often, seldom, usually, sometimes)
- speaker's attitude "Fortunately, the data set is small, and function f can be computed in real time." → use sparsely!

Notes:

- **Recommendation:** Use expressive verbs and nouns which express the most of message, and as few adverbs/prepositional phrases as possible!
- Use introductory adverbs like "fortunately, similarly, conversely, certainly" carefully, as a synonym to expressions "it is fortunate" or "in a similar manner". Drop them if they are not needed.

- Notice that "importantly" and "interestingly" are not proper adverbs. E.g.
"More importantly, the accuracy can actually increase when the complexity is reduced"
→ "More important, the accuracy can actually increase when the complexity is reduced."

"Interestingly, we found that..."
→ "An interesting finding was that..."

4.8.1 The position of adverbs in a sentence

The adverb can be

1. in the beginning, when you express time or attitude. E.g. "Evidently, the students' learning outcomes depend on their effort", "Later, we realized that..."
2. in the end, when you express way, time or place. E.g. "This problem occurs frequently in sparse data."
3. in the middle, when you express frequency or attitude. Notice that *already* behaves in the same way. E.g. "In knowledge discovery, we assume that the features have been already extracted"

An adverb should clearly refer to the word it modifies!

4.8.2 Special cases

still and yet

- Still (mostly in positive sentences): before the main verb, but after be-verb. "These enlargements are still unimplemented"
- Yet (mostly in negative or interrogative sentences): in the end. "These enlargements have not been implemented yet."
- If still or yet is used in the beginning, it means "however".

so and such

- So: before adjectives or adverbs which are **not** succeeded by nouns. E.g. "The time complexity is not so hard"

- Such: when an adjective is succeeded by a noun. E.g. "Such time complexity is infeasible"
- Notice the article "a/an", if the noun is countable: "such a system", "such an algorithm"

4.8.3 Extra: How to derive adverbs from adjectives?

Basic rule

Basic rule: by -ly suffix:adverb = adj. + "ly"

E.g. poor – poorly

Exceptions

Adjective suffix	Adverb	Examples
-y	-ily	easy – easily
-e	-ly	whole – wholly, true – truly
-ic	-ally	automatic – automatically, systematic – systematically Exception: public – publicly
-able/-ible	-l disappears	sensible – sensibly
-ly	in a <adj.> way	in a friendly way

If you are not sure how to derive an adverb, check it from a dictionary!

Adverb = adjective

fast, hard, lat, straight, low, wrong, right, long

Notice the difference in meaning (both can be used as adverbs):

deep vs. deeply
hard vs. **hardly**
high vs. highly
most vs. **mostly**

Task: Draw a decision tree for deriving adverbs from adjectives!

4.8.4 Comparing adverbs

Adverb type	Comparative, superlative	Examples
-ly suffix	more <adv.>, most <adv.>	more carefully, most carefully
like adjective	-er, -est	faster, fastest

Exceptions: well, badly, much, little, far

"This is a less desirable solution", "The X algorithm performs worse/better than Y algorithm"

Notice:

- far, farther, farthest, when you express distance, E.g.
"Point x lies farthest from the centre."
- far, further, furthest, when you express distance, time, or in an abstract context. E.g.
"In Chapter X , we will analyze this problem further" or "This problem is further analyzed in Chapter X "

4.9 Parallel structures

Conjunctions and some special phrases are used to combine words, word groups (phrases), clauses or sentences. Here we concentrate on combining parallel elements. A different structure is needed for combining a main clause and a subordinate clause. → Section Sentences.

Parallel structures are used to present parallel ideas.

Parallel structure = words, phrases, clauses or sentences combined by commas and/or conjunctions. Here we call the combined items as **parallel items**.

- Parallel items are combined by parallel conjunctions (and, or, but, ...).
- Notice that lists are also parallel structures!

- Often the parallel structure lists alternatives or makes some kind of comparison: the items belong to the same or similar classes or to two opposite classes.
- E.g.
"Method X has several advantages: it is easy to implement, it works in polynomial time, and it can use both numeric and categorical data."
contains two parallel structures: three advantages ("it is, it works, it can") in a list and "both numeric and categorical data"

4.9.1 Basic rules

The parallel structure should be consistent in two ways

- **Semantically:** the concepts referred by parallel items should be comparable, i.e. the comparison should make sense.
- **Syntactically:** the items should have similar grammatic structure. All of them should be either nouns, noun phrases, verb phrases, or clauses. In addition, they should be in the same form, e.g. you cannot combine "to" + verb and a verb without "to".
"The problem is both hard to define and solve"
→ "The problem is both hard to define and **to** solve"

4.9.2 Parallel items combined by conjunctions and, or, but

The most common form of parallel structures!

"The method has low space **but** high time requirement"

→ "The method has low space requirement **but** high time requirement.

"The students were told to make themselves comfortable, to read the instructions, **and** that they should ask about anything they did not understand"

→ "The students were told to make themselves comfortable, to read the instructions, **and** to ask about anything they did not understand"

"The results show that X did not affect the error rate **and** the model overfitted the data"

→ "The results show that X did not affect the error rate **and** that the model overfitted the data"

4.9.3 Lists

Notice that elements in a list should be in a parallel form!

Example 1

"Boud [Bou89] has listed general characteristics which are typical for problem-based courses:

- Acknowledgement of learners' experience.
- Emphasis on students taking responsibility of their own learning.
- Crossing of boundaries between disciplines.
- Focus on the processes of knowledge acquisition rather than the products of such processes.
- Change in staff role from instructor to facilitator.
- Students' self- and peer assessment of learning.
- Focus on communication and interpersonal skills."

Example 2

"The clustering methods can be divided into three categories:

1. *Hierarchical methods* construct a hierarchy of (typically) nested clusters.
2. *Partitioning methods* try to find optimal partitioning into a specified number of clusters.
3. *Probabilistic model-based clustering* tries to find the underlying probabilistic model which has produced the data."

Example 3

"The whole procedure is following:

1. Determine the number of clusters k
2. Choose parametric models (density functions f_j) for each of the clusters.

3. Determine the component probabilities π_k and parameters θ_k from data.
4. Assign each point to the most probable cluster."

4.9.4 Example 4

"According to O'Shea [OSh00], an intelligent tutoring system should be

- robust,
- helpfull
- simple,
- transparent
- flexible
- ...
- sensitive, and
- powerfull."

Notice! The previous kind of list should be avoided, because it can be written as normal sentences. A list was used above, because 13 items were listed (and they were analyzed later). If you list only a couple of items (e.g. less than 5), write them as a normal sentence!

4.9.5 Parallel items combined by conjunction pairs

Sometimes the parallel expression consists of two conjunctions like

- **between...and**,
- **both...and**,
- **either...or**,
- **neither...nor**, and
- **not only...but**.

The first conjunction should be immediately before the first part of the parallelism.

between – and

”between 20-22 years of age” → ”between 20 and 22 years of age”

”We recorded the difference **between** the students who completed the first task **and** the second task”

→ ”We recorded the difference **between** the students who completed the first task **and** the students who completed the second task.”

both – and

”The task is **both** easy to solve **and** efficient.” (Doesn’t make any sense!)

→ The task is **both** easy to solve **and** can be solved efficiently.”

Or another structure:

”The task is easy **and** the solution is efficient.”

either – or

”The students **either** gave the worst answer **or** the best answer.”

→ ”The students **either** gave the worst answer **or** gave the best answer.” or

”The students gave **either** the worst answer **or** the best answer.”

neither – nor

In negative clauses → less often needed in sciwri! (Say things in a positive way, when possible.)

” X solves the problems of traditional clustering algorithms. **Neither** outliers **nor** missing values affect the clustering quality.”

(Grammatically correct, but better to say: ” X solves the problems of traditional clustering algorithms. It is not sensitive to outliers or missing values.”)

not only – but (also)

”The task is **not only** easy to solve **but also** efficient”

→ ”The task is **not only** easy to solve **but** the solution is **also** efficient” or

”The task is **not only** easy to solve **but** it can **also** be solved efficiently”

Once again: say in a positive way, when possible – clearer!

On the one hand – on the other hand

- A special expression: can combine either clauses or parallel sentences!
- An affective way to describe opposite points, like advantages and disadvantages!

”**On the one hand**, a complex model can describe the data well, but **on the other hand**, it overfits easily.”

”There is always a wrestling between the descriptive power and the generalization ability. **On the one hand**, too complex a model describes the data well, but it does not generalize to any new data. **On the other hand**, too simple a model generalizes well, but it does not describe the essential features in the data.”

4.9.6 The comparative – the comparative

The comparative forms of adjectives can be used in a parallel way in the following structure:

the + comparative + x + comma + the + comparative + y , where x and y complete the clauses.

”**The more complex** the model is, **the better** it describes the training data.”

If x and y are missing, then no comma:

”The sooner the better.”

Notice: Use sparsely!

4.9.7 Parallel sentences

Numerating properties or ideas is an efficient way to create logical structures into paragraphs. The sentences in the list begin by ordinal numbers ”First, Second, Third”. (Notice: you can say ”Firstly”, but there is no need for that!)

” X model has three important properties: First, the model structure is easy to understand. This is a critical feature in adaptive learning environments, as we have noted before. Second, the model can be learnt efficiently from

data. There are feasible algorithms for both numeric and categorial data. Third, the model tolerates noise and missing values.”

4.10 Prepositions

- Be careful with prepositions. A wrong preposition can give a totally different meaning!
- Hint: When you use a preposition, visualize the direction it is signalling and ask yourself if it is appropriate.
- If you are unsure about the use of a preposition, ask yourself what a cat would do! (Fedor’s sciwri book)
Cats sit **on** mats, go **into** rooms, are part **of** the family, roam **among** the flowers.

4.10.1 Expressing location

- Usually **in**, e.g. ”in set X ”
- If an exact location, then **at**, e.g. ”at point (x, y) ”
- If the location can be imagined as a line or a surface, then **on** ”on the x -axis”, ”on a time line”

Notice: ”**on** page 3”, ”**on** line 5”

”A file is loaded **from** the hard disk **into** main memory.”
 ”results **from** the survey suggest...”
 over – under/beneath
 above – below

” X ’s points were **below** the average points”
 ”The task is to optimize f **under** the given constraints”

4.10.2 Expressing time

- Exact time: **at**, e.g. ”at the moment”, ”at four o’clock”, ”at the same time”
- Longer period of time: **in**, e.g. ”in the 1970’s”, ”in the future”, ”in five minutes”, ”events occur close in time”

Notice: ”In the beginning/end” vs. ”At the beginning/end of sg”

4.10.3 Expressing the target or the receiver: to or for?

Basic rules:

- When direct receiver, then **to**
”The values are assigned to variables”
- When the final receiver (for whom sg is meant) then **for**
”I gave the book for Belinda to Tersia”
”The messages for nodes F and G are transferred to node D for rerouting”
- When sg is good or bad for sg, then **for**
”Problem-based learning is good for students”

Some verbs require either for or to:

1. If the verb is {bring, give, take, show, offer} → **to**
2. If the verb is {be, get, keep, make} → **for**

Sometimes the preposition can be missing, depending on the word order:

- i) verb + receiver + object
- ii) verb + object + to/for + receiver
- iii) verb + to/for + receiver (no object)

- If the verb is **tell**, then always case i.
- If either object or receiver is pronoun, then the pronoun becomes before the noun (case i or ii)
- If both are pronouns, then the object becomes first (case ii)
- If the verb is {belong, describe, explain, introduce, reply, say, speak, suggest} → always **to** (cases i–iii)

Task: Draw a decision tree for deciding when to use ”to” or ”for”!

4.10.4 Special phrases

Some prepositional phrases just have to be remembered! (or checked)

constraint **on** sg (e.g. constraints on the order)
 independent **from** sg but dependent **on** sg
 different **from** sg but similar **to** sg
 difference **between** sg and sg
 prefer sg **to** sg
 impact of sg **on** sg
 influence **on** sg
 effect **on** sg (but to affect sg)
 a discussion **about/on** sg (but to discuss sg)
 research **on** sg but a study **of** sg
 reason **for** sg
 opportunity **of/for** sg
in spite of sg (but despite sg)
take into account
in relation to sg
 a proportion **of** sg. ("a large proportion of data")
in proportion **to** sg, proportional **to** sg ("The time complexity of f proportional to n is...")
 the ratio **of** a **to** $b = a/b$
 $x\%$ **of** y
by default

Problem: compare with or to?
 Depends on the meaning!

From Kdict:

Usage: Things are **compared with** each other in order to learn their relative value or excellence. Thus we compare Cicero with Demosthenes, for the sake of deciding which was the greater orator. One thing is **compared to** another because of a real or fanciful likeness or similarity which exists between them. Thus it has been common to compare the eloquence of Demosthenes to a thunderbolt, on account of its force, and the eloquence of Cicero to a conflagration, on account of its splendor. Burke compares the parks of London to the lungs of the human body.

4.11 Sentences

4.11.1 Terminology

- A **sentence** consist of one or more clauses
- A **clause** contains always a subject and a predicate, and usually an object
 - An **independent clause** (main clause) can make a sentence alone.
 - A **dependent clause** (subordinate clause) needs an independent clause for support.

4.11.2 Sentence types

The sentence type depends on the type of its main clause. The main types are following:

1. Statement (ends by a full stop: " x is y .")
2. Question (ends by a question-mark: "Is x y ?")
3. Order (ends by an exclamation mark: "Be x y !")

In scientific writing the default type is the statement. Direct questions and orders are seldom used.

Questions suit best to the introduction where you state your main research questions clearly and concretely, e.g.

"The main research questions are the following:

1. What is the relationship between X and Y ?
2. When X can be applied?
3. Can we apply X in Z ?
4. How X can be extended?"

Orders can be useful in pseudo code, when you describe some method. E.g. "Search such c_i that $d(x, c_i)$ is minimal".

Dependent clauses can be divided into the following types:

1. Clauses beginning by sub-ordinating conjunctions (when, if, because, while, ...)

2. Relative clauses (begin by relative pronouns which, who, that)
3. Indirect questions (begin by question words or if/whether)

Examples:

"The dependency is trivial, **because** $Y = f(X)$."

" X and Y are linearly independent, **if** the correlation coefficient, $corr(X, Y)$, is zero"

"Let c_i be the cluster **which** is closest to x ."

"We select the first model **that** fits the data."

"First we should study **what** is the relationship between X and Y ."

"The main problem is **whether** X can be applied in Z ."

"We analyze the conditions **under which** X can be applied."

4.11.3 Sentence length?

Recommendations:

- always less than 30 words, preferably less than 20 words!
- 1-3 clauses
- expresses one idea

If you tend to write too long sentences, try the following:

1. Identify the main subject-predicate-object section
2. Prune or compress everything else, which is not needed
3. Check the verb structures and ask yourself if they could be shorter

E.g. verb structure "has been shown" can often be replaced by "is".

Notice! Don't go into the other extreme when you shorten sentences! If the clarity suffers, then a longer sentence is better.

Analogue: A good model of data does not overfit nor underfit, i.e. it is simple enough but still expresses all essential features. Now the sentence is a model of the idea you want to express.

4.11.4 Word order

The order of words has a strong impact on the meaning!

E.g. "There is, however, currently no information about the limitations of quantum computers." →

"However, there is no current information about the limitations of analog computers." →

"However, the limitations of current quantum computers are not known."

The basic word order: subject–predicate–object

Recommendation: use the basic format **subject-predicate-object** in your sentences. You can add attributes, phrases and clauses, but don't deviate too far from the basic format.

Why?

- Goal: put the most important information to the beginning of a sentence! " X is a new algorithm for the TS problem"
- Or begin by a familiar thing and put the new information to the end "The probabilities are updated by the Bayes rule:" + the equation.
- Often the sentence is most informative, if you express the most important topic by the subject.
- This format helps to write clear and compact sentences

The adverbs and prepositional phrases occur in order: **way, place, time**.

"The nearest neighbours can be identified **efficiently** (way) **in a dendrogram** (place)".

"The values can be updated **easily** (way) **in linear time** (time)".

Verb modifiers: in the middle of clause

Words which modify the predicate (the main verb) are located in the middle of the clause:

- Adverbs which express frequency: always, ever, never, often, seldom, sometimes, usually.

- Adverbs which express degree: almost, quite, certainly, completely, hardly, just, only, quite, really.
- Other words which modify the verb: already, also, still.

Hint: always consider if the word modifies the verb (the action) or the object (the target).

Verb modifiers are located

- before the predicate, if the verb consists of one word and is not the "be"-verb.
- after the first auxiliary verb, if the verb consists of several words.
- always after the "be"-verb.

E.g.

"X often implies Y."

"The method gets sometimes stuck at a local optimum"

"The data was probably biased."

Task: Draw a decision tree for deciding the position of adverbs!

Problem: some words like "only" can modify also other words!

→ Put the word "only" next to the word or phrase it modifies!

E.g. (notice the different meaning):

"X was the only method which could parse the *LL(1)* grammar"

"X was the method which could only parse the *LL(1)* grammar"

"X was the method which could parse only the *LL(1)* grammar"

Adverbs which can begin the clause

If the adverb expresses time, it can be also in the beginning:

"Next, the data is loaded to the main memory."

This gives more emphasis to the word. It is also used, when there are other adverbs/prepositional phrases in the end of the clause.

Introductory adverbs like "obviously", "fortunately", etc. are always set to the beginning (if they are needed).

4.11.5 Combining clauses

Say the main message in the independent clauses! Use dependent clauses only to add details.

Combining two independent clauses

A **compound sentence**= two or more independent clauses which are combined by co-ordinating conjunctions or (rarely) by semicolons.

- In principle, you can combine several independent clauses, but in practice, combine only two main clauses (unless the clauses have the same subject which is mentioned only once).
- The ideas expressed in the clauses must be closely connected (otherwise separate sentences).
- The most common co-ordinating conjunctions are **and** and **but**.
 - **and** just links one idea to another (doesn't describe the relationship – typical for the children's language and dreams where things just happen). E.g. "The data is sparse and the model overfits easily."
 - **but** establishes an interesting relationship between the ideas → a higher level of argument. E.g. "The data was sparse, but the model did not overfit." (= "Even if the data was sparse, the model did not overfit.")
- Commas? If the clauses have the same subject, then no commas. Otherwise usually a comma, unless the clauses are very short.

4.11.6 Combining clauses by sub-ordinating conjunctions

The basic form: an independent clause + a sub-ordinating conjunction + a dependent clause.

The most common sub-ordinating conjunctions express

1. a chronological order: **when, as, as soon as, while, after, before, until, since**

2. a conditional relationship: **if, unless**. **If**-clauses can also begin the sentence: "If the order is fixed, the episode is called serial." Notice: unless = if... not
3. a reason: **because** (Recommendation: reserve word "since" to express chronological order)
4. a purpose: **so that** (You can also use **in order to** + infinitive verb.)
5. an admission: **although, even if**

Examples:

"The search can be halted as soon as min_{fr} proportion of data is checked"

"The method is time-efficient, because all the parameters can be updated in one loop"

When you combine

- an independent clause + a dependent clause \rightarrow sometimes but not always a comma (e.g. before **but**, but not before **that**).
- a dependent clause + an independent clause \rightarrow always a comma.

4.11.7 Relative clauses

Correlate = referred word or clause, e.g. "An outlier is a **data point** which lies outside the clusters", "**Students** who solved the task...", "**The time complexity is quadratic**, which is sometimes undesirable..."

Restrictive and non-restrictive relative clauses

Relative clauses can be divided into two categories:

1. **Restrictive** or essential relative clause
 - defines the correlate
 - is necessary for understanding the sentence correctly
 - no commas
 - "X is an algorithm which solves the Travelling Salesman problem in $O(n^k)$ time."

2. **Non-restrictive** or non-essential relative clause

- gives only additional information about the correlate
- is separated from the main clause by commas
- "X, which solves the *TS* problem, works in $O(n^k)$ time."
- can refer to the previous clause

Notice that in spoken language we can drop the relative pronoun, if it is not the subject of the clause. In scientific writing, it is better to write all pronouns, because it should always be clear what you are referring.

Which relative pronoun to select?

1. Who, whose, whom

- **who** refers to a person.
- **whose** is the genitive form, e.g. "The student, **whose** solution was correct, got extra points."
- Notice that **whose** can refer to things and objects, too!
"X is an example of problems **which** belong to class *NP* and **whose** known solutions are exponential."
- **whom** is used as an object and with prepositions, e.g. "The student, **about whom** I told you yesterday, wants to speak to you."

2. which

- refers to things and objects.
- can be used as a subject or an object or with prepositions.
"X is a trick **which** helps to estimate the parameters more accurately."
"Let X be the variable **which** Y depends on."
- when you refer to an entire clause, e.g. "The time complexity is quadratic, **which** is sometimes undesirable...", "All students cannot study themselves, **which** means that tutors are needed."
- In most cases, the genitive form can be either **of which** or **whose**. E.g. "A computer, the cache **of which** is disabled, is less efficient..." = "A computer, **whose** cache is disabled, ..."

- However, when you refer to abstract nouns, use **of which** structure:
"N.N. has introduced a new method the complexity **of which** is exponential." (**Problem:** is this rule still valid? Could we nowadays use also "whose"?)

3. that

- **can be used only in restrictive relative clauses!** → never use comma before it!
- can refer to people or things,
"The student that has solved the task", "The task that was solved"
- can be used both as a subject and an object.
- If you need prepositions, they have to be in the end of the clause!
"The problem **that** we talked **about**..."
- **that** is often used, when
 - the correlate is {**all, little, much**}, e.g. "all that we know"
 - with **superlative**, "the best solution that we can invent"
 - with ordinal numbers (**first, second,...**), **last**, and **only**,
"the only algorithm that is comparable with X is Y "

4. what

- **what** contains also the correlate
- Only in special expressions!
- E.g.
"WYSIWYG means 'What you see is what you get'."
"This is what we know so far."

Extra: When to use **who** and **when whom**?

Problem: Is the relative pronoun a subject or an object (who or whom)?

Hint: turn the subordinate clause around and substitute the relative pronoun by a personal pronoun. If you can use "she" or "he", it is subject

(who), if "her" or "him", then it is an object (whom).

E.g. "N.N. is the student who/whom I mentioned earlier"
→ "N.N. is the student. I mentioned her/him earlier"
→ "whom" is the correct choice.

4.11.8 Indirect questions

The dependent clause begins by a question word **what, why, when, where, how** or **if/whether** when the corresponding direct question begins by a verb.

"First we should study **what** is the relationship between X and Y ."
"The main problem is **whether** X can be applied in Z ."

- The word order is direct!
- No auxiliary word **do**
- No comma!
- No question mark

4.12 Paragraphs

How to combine sentences? How to begin paragraphs? How to link paragraphs to each other? Introductory paragraphs (at the beginning of a chapter)

4.12.1 Combining sentences in a paragraph

1. Use (but do not overuse!) conjunctions or transitional words:
 - Time links, when you describe a process: then, next, first-second-third, while, ...
 - Cause-effect links, when you describe reasons or results: therefore, as a result, thus, ...
 - Addition links, when you add points: in addition, moreover, similarly, ...
 - Contrast links, when you describe two sides of one thing: however, despite (=inspite of sg), ...

- Other: For example,...
2. Link the beginning of a sentence to the end of the previous sentence. E.g. the subject of sentence 2 is the object of sentence 1. "A model consists of a model structure and model parameters. The model structure defines..."
 3. Repeat the key terms throughout the paragraph. However, do not repeat the same word twice in one sentence.

Task: Search useful expressions from the text extract given to you!

4.12.2 Dividing a section into paragraphs

Logical structure

Logically structured disposition (topic outline) is the most important thing in writing!

Analogy: In software engineering, the earliest errors (in specification and design phases) are the most expensive, if they are not recognized in the beginning. If you don't plan, you write awful spaghetti code which nobody understands or can debug. Similarly, writing an illogical or a poorly organized disposition can cause serious problems. In the worst case, you have to write everything again!

→ Spend time and write the disposition carefully!

An iterative process:

1. The main structure of the whole thesis: the main chapters and their contents in a couple of sentences or key words. The order of chapters.
2. For each chapter (or an article), the main sections + key words, introductory sentences or phrases. The order of sections.
3. In each section, the subsections or paragraphs. The introductory sentences, key words, and the order of paragraphs. List the related tables and figures.

Mark the points you wish to emphasize!

Suggestion: put your disposition on one side for a while, before you begin writing.

A paragraph

The topic for each paragraph must be clearly stated – usually in the first sentence = **topic sentence**.

- Helps the reader: tells what the paragraph is about.
- Helps the writer: forces you to organize the material logically.
- In an ideal case, you get a summary of the whole section by reading the topic sentences.
- If you cannot write a clear topic sentence, ask yourself whether the paragraph is needed at all!

Other good advice:

- Never begin with unimportant words. The beginning of a paragraph is the most important.
- Omit superfluous phrases like "First let us consider..." "An interesting example which must be mentioned in this context is..." "Next it must be noted that..."
- Emphasize important things by
 - telling them in the beginning of a paragraph or beginning of a sentence,
 - expressing them in short sentences,
 - repeating the key words, or
 - numbering.
- Keep the same verb tense (change it only for good reasons).
- Express parallel things in parallel structures.

If it is hard to divide a section into paragraph, list the things in a bullet list. Arrange the items and give them mini-subheadings. All items under one such heading belong to one paragraph. Tell the topic (expressed in the heading) in the topic sentence.

4.12.3 Introductory paragraphs

In the beginning of each chapter or a section having subsections, give 1-2 introductory paragraphs. These paragraphs tell what the chapter or section is about, i.e. it introduces the topics of sections or subsections. In the beginning of a chapter you can also introduce the main theme or problem and motivate the reader.

Suggestion: just one brief paragraph in the beginning of a section, a longer or a couple of paragraphs in the beginning of a chapter.

E.g. for the section "Correlation analysis":

"In the following, we recall the most common measure for correlation, Pearson correlation coefficient. We discuss restrictions and extensions of the common correlation analysis. Finally, we analyze the *ViSCoS* data by Pearson correlation and correlation ratios to reveal linear and non-linear dependencies."

In the beginning of chapter "Modelling dependencies between attributes" (could be briefer):

"The main goal of predictive modelling is to predict a target variable Y from a set of other variables $X = \{X_1, \dots, X_k\} \subseteq R$. Variables X are called *explanatory*, because they explain Y . The existence of such model requires that Y depends on X . Thus, the first step of modelling process is the descriptive analysis of dependencies between Y and X . The task is two-fold: First, we should select an attribute set X which best explains Y . Then we should analyze the type of dependency. Given this information, we can select the appropriate predictive modelling paradigm and define restrictions for the model structure.

In the following, we define the main types of dependencies for categorical and numeric data. We introduce three techniques (correlation analysis, correlation ratios, and multiple linear regression) for modelling dependencies in numeric data and four techniques (χ^2 independence test, mutual information, association rules, and Bayesian networks) for categorical data. In both cases we begin by analyzing pair-wise dependencies between two attributes, before we analyze dependencies between multiple attributes X_1, \dots, X_k and the target attribute Y . This approach has two benefits. First, we can avoid testing all 2^k dependencies between subsets of $\{X_1, \dots, X_k\}$ and Y , if Y turns

out to be independent from some X_i . Second, this analysis can reveal important information about suitable model structures. For example, in some modelling paradigms, like multiple linear regression and naive Bayes model, the explanatory variables should be independent from each other. Finally, we analyze the suitability of described modelling techniques for educational domain."

4.13 Punctuation

Goal: to make the text clearer. Unfortunately, the English punctuation rules (especially the use of comma) do not always coincide with the rules of your mother tongue.

Usually you manage with just two marks: **full-stop** and **comma**! The basic rules for other marks are:

- Use colon ':' only when needed.
- Avoid semicolon ';' and dash '-'.
- Avoid unnecessary parantheses '(...)'

4.13.1 Full-stop

Full-stop ends a full sentence. Do not use comma instead of full-stop to separate independent clauses which are not logically related.

4.13.2 Comma

Comma is used

1. To separate introductory phrases and conjunctions (however, thus, similarly, etc.):
 - "Ideally, all references are entered into a bitex database."
 - "Theorem 1 is important for two reasons. First, it allows us to... Second, it ..."
 - "Despite the high time complexity, X is often used..."
 - "For example, we can search episodes in www log data..."
2. When the sentence begins with a dependent clause.
 - "Since \bar{x} is a statistic, it is also a random variable."
 - "If this condition is not satisfied, then the confidence bounds cannot be used."

3. When a non-restrictive relative clause is embedded into an independent clause or ends a sentence.
"X, which is responsible for data preprocessing, initializes Y."
4. When two phrases with the same meaning are used side by side.
"One of the most useful statistics is \bar{x} , the sample mean."
5. When the sentence begins by an infinitive structure (a clause substitute).
"To find the lower bound for the confidence interval, we isolate..."
6. To separate items in a list of three or more items. An "Oxford comma" = the last comma before **and**, **or**, or **nor**. "X is simple, fast, and easy to implement"
7. To avoid ambiguity.
"Instead of hundreds, thousands rows of data is required"
"Instead of 20, 50 students participated..."
"What the actual reason is, is not fully understood"
(better: "The actual reason is not fully understood")

No comma is used

1. When an independent clause is followed by a restrictive relative clause or is embedded with a restrictive rel. clause (especially before **that**).
Exception: "It must be remembered, however, that..."
2. Between two independent clauses (in British English).
3. Before an indirect question.
4. When you begin by a prepositional phrase expressing the place. "In this section we discuss..." "In Chapter 3 we defined..."

4.13.3 Colon

Use colon between a grammatically complete introductory clause and a final phrase or clause that illustrates or extends it. If the following clause is a complete sentence, it begins with a capital letter.

"The formal definition of X is the following: (definition here)"
"X has several benefits: It is efficient, robust, and easy to implement."

4.13.4 Dash

Dash is nearly always used in pairs. You can always use commas instead of dashes. Additional details can also be separated by parentheses. Notice that dash interrupts the continuity of a sentence!

Advice: Do not use dash, if you are not sure how to use it!

"The two students – one cs student and one maths student – were tested separately."

4.13.5 Semicolon

Semicolon separates two independent clauses. It is stronger than a comma but weaker than a full-stop. You can always replace it by a full-stop, and sometimes by a comma structure.

Advice: Save semicolons to program code!

Suits to separate independent clauses in a list:

"Metric d has three properties:

1. d is reflexive, i.e. $d(x, x) = 0$ for all x ;
2. d is symmetric, i.e. $d(x, y) = d(y, x)$ for all x, y ;
3. Triangular inequality holds for d , i.e. $d(x, z) \leq d(x, y) + d(y, z)$.

or to separate elements in a series which already contains commas:
"The colour order was red, yellow, blue; yellow, red, blue; or blue, yellow, red."

4.13.6 Quotation marks

Quotation marks are necessary when you represent a direct citation!

You can use them also when you introduce a word or phrase used as an ironic comment, as slang, or as an invented expression. Use the quotation marks only when the new term is mentioned for the first time!

”Researchers have developed several measures to evaluate the ”interestingness” of an association rule.”

Notice: when you use a word or letter as an linguistic example, you can use a special font, e.g. italicize it (just be systematic with the font you select). ”According to algorithm *X*, words *cat* and *God* were similar.”

Similarly, when you mention variable names, values etc. use a special font (unless they mathematical symbols \rightarrow \$ characters (math mode). E.g. ”*X* can have three values **low**, **medium**, **high**.” ”**Action1** is selected with the probability of 0.6 and **Action2** with the probability of 0.4.”

In latex

```
{\tt Action1}
```

4.13.7 Parantheses

Parantheses are used for two purposes:

- To introduce an abbreviation
”*Minimum description length (MDL)* principle is often used to...”
- To add extra details. **Advice:** do not overuse them!
”Two common choices are to represent a cluster by its centroid (central point) or by its boundary points.”
”In *minimum edit distance* we define the minimum number of operations (e.g. insertion, deletion, substitution) needed to transform one string to another.”

Sometimes you can give extra references (extra reading) in paranthesis:

”To restrict the future development of adaptive learning environments as little as possible, we have adopted a wide (and visionary) view of *context-aware computing* (*ubiquitous computing* (see e.g. [DA99,CLC05]), in which the whole context – the user, her/his actual situation and all relevant information – is used for determining the most appropriate action.”

4.14 Genitive: 's or of?

Default: For animate things (people and animals) **'s**: **possessor's possessed** (in plural **possessors' possessed**).
For inanimate things of structure: **the possessed of possessor**.

Nowadays, 's genitive can be used also for inanimate things, especially in certain special cases (especially in American English!). However, never use 's genitive for abstract things!

”The meaning of life”, ”The time complexity of algorithm *X*”.

4.14.1 Special cases where 's genitive is used for unanimate things

1. Temporal expressions: ”two weeks' holiday”, ”an hour's work”. However, in some expressions only **of** is possible: ”in the middle of August”.
2. Sometimes when the noun is geographical (country or city): ”London's sights”. However, if the target expresses place (town, city, kingdom, island), then **of**: ”The city of Joensuu”
3. When the noun expresses place and is followed by superlative: ”The world's best computer games”.
4. When possessor is a collective noun, 's is often used, but **of** is also possible: ”The board's decision”.
5. When you express part-whole relation, 's is often used, especially in body parts ”the car's doors”, ”the cat's whiskers”.
Hint: If the possessed necessarily belongs to the possessor \rightarrow 's, if the possessed can exist alone \rightarrow **of**.
6. Some special phrases: ”For goodness' sake”.

4.14.2 When of structure is necessary

's genitive makes the possessed noun definite, i.e. **possessor's possessed = the possessed of possessor**.

\rightarrow definite article **the** in the **of** genitive.

If you want to express that the possessed is indefinite (one of many), **of** genitive is the only choice (even if you refer to people): ”a son of the mayor”.

4.14.3 Possessive form of pronouns

When the possessor is a pronoun, use the possessive pronouns!

{my, your, her/his, its, our, your, their} + possessed.

If the possessive pronoun is not followed by noun, then special forms {mine, your, hers/his, ours, yours, theirs}. Seldom needed in scientific writing! (In spoken language e.g. "Whose cat is this? It is mine.")

In some special cases (rarely) you can use structure "of it" (referring to unanimate things) to emphasize the possessed. "I don't remember the name of it."

4.15 Abbreviations

- Use abbreviations sparingly, especially the abbreviations which you define yourself for technical terms. E.g.
"The performance of NB and LR classifiers are measured by TP and TN rates" vs.
"The performance of naive Bayes and linear regression classifiers are measured by true positive and true negative rates"
- As a rule of thumb, if the term is used less than three times, don't introduce any new abbreviation for it.
- Use only those abbreviations that help you to communicate with your reader.
- When the term is mentioned first time, write it out completely and give the abbreviation immediately in parantheses. E.g.
"According to *maximum likelihood (ML)* principle ..."
- Notice that standard abbreviations do not have to be written out on first use! Such abbreviations are a.m., i.e., vol., ed.
Notice that p.=page, pp.=pages
- Do not switch between the abbreviation and complete term in the same paragraph.
- If you use special abbreviations in figures or tables, describe them in the caption.

- Do not begin a sentence with a lowercase abbreviation or a symbol that stands alone (e.g. α). If you have to begin by a symbol for clarity, then capitalize the first letter of the word to which it is connected. E.g. "*k*-Nearest neighbours method"

Chapter 5

Writing master's thesis

5.1 Parts of the master's thesis

See latex template on <http://www.cs.joensuu.fi/pages/whamalai/sciwri/thesis.tex>

5.1.1 Abstract

- Tells compactly the research problem, methods and results.
- At most 1 page, no literature references.
- In the end ACM classes + possibly key words.

5.1.2 Introduction

Typically 4-7 pages.

The introduction should define the problem clearly and give sufficient background information for the following chapters. However, no details, yet!

- What is the purpose of the research? Main research questions?
- What is the scope? Indicate explicitly all limitations and restricting assumptions!
- Why the topic is important or interesting?
- What methods are used?

- Briefly references to related research (just the main references – more references in chapter "Related research" or throughout the thesis)
- Emphasize your own contribution: what is original or new?

Introductions can be divided into sections, if it is easier to write, but it is not necessary.

E.g. three sections:

1. Problem description, motivation and background (the heading could be "Overview", "Problem", "Motivation and background" etc.)
2. Results and contributions (what was done, what was new)
3. Organization (the chapters)

5.1.3 Main chapters

Usually 4-5 chapters (in addition to Introduction and Conclusions). A good idea is to begin from background theory or related research.

5.1.4 Conclusions

Just 1-3 pages!

- Summarize the main results in a general level.
- Tell what was your own contribution and what was based on other sources.
- Possibly also critics (e.g. limitations), alternative approaches, topics for future research.
- No more new results and seldomly any references (at most for alternative, unmentioned approaches)

5.1.5 References

- A rule of thumb: at least 20 references, but no more than 50. 30-35 is often the ideal.
- The number of references depends on the topic. More references are required in a literature review than in empirical research or an "application report".

- The number of references is not a merit, but their quality is more important!
- The references should be relevant, up-to-date, and represent different approaches or schools among researchers.
- **Important:** all sources (listed in References) must be referred in the text and the text should not contain any references which are not listed! → Bibtex takes care of this automatically. If you type references manually, latex complains only about missing references, but not about extra references.

5.1.6 Appendixes

- Additional material which is relevant to the research and is referred in the text. E.g. if you have made a questionnaire, you can put the form into appendix.
- No chapter numbers, but enumerate the appendixes (Appendix A, Appendix B,...). If you have only one appendix, then just "Appendix".

5.1.7 Examples of master's theses

A new application or method

Now a new application (a program) is in central role. However, it has to be related to the existing research and evaluated.

- Introduction: the problem
- Background theory and main concepts
- Related research (other existing solutions to the same or similar problems)
- Your own application
- Evaluation: comparison to other methods, empirical tests, or theoretical analysis
- Conclusions

Literature review

A theory or a model is analyzed based on literature. Often a comparison of different approaches.

Your own contribution: how the results are described in a uniform manner, analyzed and compared.

Now the existing literature is referred in all chapters, no need for a separate chapter "Related research".

- Introduction
- Main concepts
- Approaches + their analysis (2-3 chapters)
- Or a chapter for comparison and analysis of all approaches
- Conclusions

Variation: analysis of the suitability of existing approaches to a new problem.

- Introduction
- The new problem + criteria for an ideal solution method
- Potential solution methods + analysis of their suitability (2-3 chapters)
- Possibly discussion (comparison, new solution ideas)
- Conclusions

Empirical research

E.g. a new method or tool is tested with real users or products of students are analyzed.

- Introduction: Begin by introducing the research problem: what was the goal of empirical study.
- Main concepts and background theories (one chapter) and
- Related research (one chapter) (or both in one chapter)
- Experiment and results (one chapter), e.g. four sections: Material, Methods, Results, and Discussion
- Conclusions: what was the problem, what results were achieved

5.2 Master's thesis process

"The purpose of a thesis is to train the mind of the writer and to show how far it has been trained." [1, 141]

5.2.1 Reading literature

Problem: you should get a wide view of the existing research on the topic, but your time to search and read literature is limited!

- Try to find the most relevant articles.
- To get a wider perspective, search papers by different authors/research groups. If there are several approaches to solve or study the problem, try to study something from all of them (or all of the main approaches).
- Use several digital libraries or bibliographies for searching – one collection may be biased.
- Plan how much time you can spend for studying literature! In some point you have to stop collecting new material and begin to write.
→ Suggestion: In the end of Aug, your it-project is finished and you have collected and **selected relevant material** for your thesis.

5.2.2 Planning

Well planned is halfly done!

- Begin by brainstorming. Draw concept maps. Discuss with your friends or supervisors. Write down all ideas which come into your mind.
- Collect literature and scan through it. Select the most important sources.
- Try to write the disposition as early as possible. Process it with your supervisor until it looks good (logical structure and order).
- List the main research problems (in the form of questions) and write the introductory paragraphs for the chapters.

5.2.3 Difficulty to get started

Hints:

- Arrange a comfortable working place. Reserve time for writing every day. Try to make writing a routine for you!
- Set deadlines. Preferrably fix them with your supervisor – it is always more effective.
- Work together with your friend. You can set the deadlines, discuss your topics, and read each other's texts. After good work you can reward yourself by doing something fun.
- Imagine that you are writing to your friend about your research topic!
- Summarize articles you have read. It is never waste of time – at least you learn!
- Begin to write immediately, when your disposition is finished.
- Write down ideas when they come – even in the middle of night.
- Invent good examples and write them down.
- If some part is difficult to write, begin from an easier one. Write the difficult parts, when you are in a good working mood.
- Draw figures which describe the some method or model and write a description.
- Try to divide the problem or phenomenon into subproblems or parts and describe them separately.
- Collect main concepts and write definitions for them. Fix the notations.

How to write the beginning of chapters?

- Look at the opening sentences of similar compositions by other people
- Begin, for example, with a summary, a statement of the problem, a hypothesis, necessary and interesting background information, a new idea, an accepted procedure (then explain advantages of another procedure), ...

- Don't spend too much time trying to find an effective beginning – you can always modify it afterwards.
- Go straight to the point and, if possible, refer to things that you expect your readers to know (vs. constructivism).

5.2.4 Revising

“The time taken in planning, writing and revising is time for thought. It is well spent, for when the work is complete your understanding of the subject will have been improved.” [1, 44]

- First of all, admit that the first draft(s) is not perfect! Ask critics and respect it. Good critics is really valuable.
- If possible, ask at least two people to read your thesis. Preferrably one who is an expert on the subject, and one who is not. E.g. your supervisor and one of student colleagues.
- You can write and revise your work for ever, but in some point you have to stop! One trick is that you don't allow yourself to gather any more new literature.
- Have a break when your work is finished. At least, sleep one night before revising the text yourself.

Technical hints:

- Read text aloud and check if it sounds well.
- Check all references. Especially, are names correctly spelled?
- Save old versions, you may need them afterwards.

5.2.5 Technical notes

Technical terms

If there is no widely accepted definition for it, then

1. Tell whose definition you follow and give this definition with reference, or
2. Give a definition yourself and tell that in this work the term is defined as given.

“If a technical term is used as a substitute for an explanation, it gives no more than an impression of knowledge. ... Unless a technical term can be defined clearly and then used with accuracy and precision, it may conceal our ignorance and obscure the need for further research, and it should have no place in scientific writing.” [1, 62]

Symbols

- Don't use the same symbol for different things!
- Try to use also indexes in a uniform manner. E.g. if the $i = 1, \dots, n$ is the number of rows and $j = 1, \dots, k$ the number of attributes in one place, don't change them in another place.
- If some special notation is widely used in literature, follow it.
- If different sources use different notations, harmonize them. (Fix one notation and translate all notations to your own "language".)
- Do not use Greek (or Hebrew) letters if there is no reason. If there is a danger of confusion e.g. with values of variables, then Greek letters are justified.

Equations

Avoid listing mathematical equations! Try to integrate equations into sentences so that the results is readable.

Do not replace words by mathematical symbols (e.g. \forall) in the text.

Chapter 6

L^AT_EX instructions and exercises

6.1 Basic Latex

6.1.1 Instructions

1. Boot the computer in Linux.
2. Create a directory, e.g. `mkdir sciwri` and move there by `cd sciwri`.
3. Start a browser and save file `http://cs.joensuu.fi/pages/whamalai/sciwri/basiclatex.tex` into your directory.
4. Check what a latex file looks like by `less basiclatex.tex`.
5. Compile the file by `latex basiclatex.tex`. The resulting file is `basiclatex.dvi`. (You can always check the contents of the directory by `ls` or `ls -la`.)
6. Now you can look it by `xdvi basiclatex.dvi`.
7. If you want to print the document, transform it to postscript by `dvips basiclatex.dvi -o basiclatex.ps`. If you prefer pdf, use transformation `dvipdfm basiclatex.dvi`.
8. Use `basiclatex.tex` as you example, and write your own latex file where you solve the following tasks. You can copy the `basiclatex.tex` and just modify it. Copying happens by `cp basiclatex.tex latexercise.tex` (you can invent the name yourself, just remember the suffix `.tex`).
9. Open your file in an editor. For example, you can use `emacs` or `xemacs`. `xemacs` is heavier to run, but maybe easier to use, if you

are used to graphical interphase. In `emacs`, the file is opened by `emacs latexercise.tex`.

- When you finish, you can transfer your file to `cs`, where it can be accessed from windows, if needed. The command is `scp latexercise.tex user@cs.joensuu.fi:directory`, where `user` is your username and `directory` is the directory name.

6.1.2 Exercises

Give your document title "Exercises 1" and create a section for each task.

- Writing lists:** Write the following list

- Understanding domain
- Preprocessing data
- Learning the *model* from data
- Interpreting the results

- Can you add a sublist into your list?

- Understanding domain
- Preprocessing data
- Learning the *model* from data
 - Data mining or
 - Machine learning step
- Interpreting the results

- Write the following table

	Data Mining	Machine Learning
Assumptions:	Data primarily	Model primarily
Model:	Often local patterns	Global
Data size:	even millions of rows	hundreds or thousands of rows

- A proper table should have a title and be referred from the text. Table 6.1 gives an example. Check from <http://www.cs.joensuu.fi/pages/whamalai/sciwri/articletemplate.tex> how it is done!

Write Table 6.2 yourself!

Table 6.1: Useful mathematical symbols: arrows.

\rightarrow	An arrow to the right
\leftarrow	An arrow to the left
\leftrightarrow	An arrow to both directions
\Rightarrow	A double line arrow to the right
\Leftarrow	A double arrow to the left
\Leftrightarrow	An double arrow to both directions

Table 6.2: Welknown NP -complete problems.

Name	Problem
Satisfiability (SAT)	Given a boolean formula of variables, parantheses, and connectives \wedge (and), <i>vee</i> (or), and \neg (not), can the formula be true with any truth assignment?
Independent set (IS)	Does the given undirected graph contain k vertices which are not connected to each other?
Clique	Does the given undirected graph contain k vertices which are connected to each other?
Hamiltonian cycle (HC)	Does an undirected graph contain a path which goes through all vertices exactly once and returns to the starting point?

6.2 Writing equations and special symbols

- Write the following expressions by latex.

a) $(a + b)^2 = a^2 + 2ab + b^2$

b) $(a - b)(a + b) = a^2 - b^2$

c) $n! = 1 \times 2 \times \dots \times n$

d) $a = v/t$

e) $1 + 2 + \dots + n = \frac{(n+1) \times n}{2}$

- $\$, \%, \#, _$ are special characters in latex, and you cannot use them in the text as such. Can you find out how to do it? Hint: an escape character \backslash .
- Write the following mathematical expressions. You can find instructions here:

<http://www.ift.uib.no/Fysisk/Teori/KURS/WRK/TeX/symALL.html>

- (a) $A = \{a_1, a_2, \dots, a_n\}$
- (b) $a_i \in A$ for all $i = 1, \dots, n$
- (c) $B \subseteq A$
- (d) $|B| \leq |A|$
- (e) $(a_i \in B) \Rightarrow (a_i \in A)$
- (f) $C = A \cup \{b\}$
- (g) $|C| \neq |A|$

4. Here is a list of useful mathematical symbols. Write mathematical expressions, where you use them! Remember to use the math mode! You can find more symbols in the latex manual.

\mathbb{R}	<code>\mathbb{R}</code>
\mathcal{P}	<code>\mathcal{P}</code>
\emptyset	<code>\emptyset</code>
∞	<code>\infty</code>
\overline{x}	<code>\overline{x}</code>
$\binom{n}{k}$	<code>\binom{n}{k}</code>
\dots	<code>\dots</code>
\vdots	<code>\vdots</code>

For example, $\binom{n}{k}$ is achieved by

`\left(n \atop k \right)`

5. Write the following definition using the `definiton` environment!

Definition 1 (Multiple linear regression) *Let $X = \{X_1, \dots, X_k\}$ and Y be numerical variables, where Y is linearly dependent on X_i s and X_i s are linearly independent from each other. Then for all $\bar{x} = (x_1, \dots, x_k) \in \text{Dom}(X)$ the expected value of Y given $X = \bar{x}$, \hat{y} , is defined by linear equation*

$$\hat{y} = \alpha + \beta_1 x_1 + \beta_2 x_2 + \dots + \beta_k x_k,$$

in which α and β_1, \dots, β_k are real-valued regression coefficients.

6.3 Writing references

The references are listed in the end of document. The title is generated automatically. In the article style, the reference list is labelled "References"; in the report style, it is labelled "Bibliography."

The literature sources are defined in the following kind of list:

```
\begin{thebibliography}{4}
\bibitem{assrule} Agrawal, R., Mannila, H., et al.:
Fast discovery of association rules.
In Fayyad, U.M., Piatetsky-Shapiro, G.,P., Smyth, P., Uthurasamy, R. (ed)
Advances in knowledge dicoverly and data mining.
AAAI/MIT Press, Menlo Park, CA (1996) 307--328
\bibitem{boulay} Boulay, B. du:
Can We Learn from ITSs?
Intelligent Tutoring Systems (2000) 9--17
\bibitem{butz} Butz, C.J., Hua, S., Maguire, R.B.:
Web-based intelligent tutoring system for computer programming. Web
Intelligence and Agent Systems: An International Journal 4,
1 (2006) To appear.
\end{thebibliography}
```

Use template (<http://www.cs.joensuu.fi/pages/whamalai/sciwni/articletampl.tex>), compile it, and check what the result looks like!

The reference notations are defined in the header by command `\bibliographystyle{style}`. Style alpha is often used in the cs master's thesis. If you prefer numbers, use style plain.

Referring to sources, like to [?], happens by `\cite` command. Try to refer to other sources! Notice that you have to run latex command a couple of times, before all references are solved.

1. Search at least two useful articles in ACM or IEEE digital libraries related to your topic! These libraries can be found in Finelib, see instructions <http://cs.joensuu.fi/pages/whamalai/sciwni/material.htm>.
2. Write the references into a bibliography list. Write some example sentences and test that you can refer the sources.

6.4 Including figures into a latex document

The figures should be postscript files. To test the following examples, load the file cat.ps from <http://www.cs.joensuu.fi/pages/whamalai/sciwni/>

`cat.ps`. Store it to the same directory as your latex document. If you want to use another directory, you have to specify the path also in the figure. E.g. if the file is in a subdirectory "figures", `\includegraphicsgets parameter {figures/cat.ps}`.

If you don't refer to the figure, you can simply include it here like this:



1. Test how to include `cat.ps` into your own document! What happens if you remove commands `\begin{center}` and `\end{center}` ?
2. In scientific text, all figures must have a title (caption) and be referred from the text. This is demonstrated in Figure 6.1.




Figure 6.1: A cat writing scientific text.

Figure 6.1 is aligned in the center. The figure width is defined to be 60% of the text width. Try what happens if you change it!

3. Load file `articletree.eps` from <http://cs.joensuu.fi/pages/whamalai/sciwri/articletree.eps>. Include the figure into your document. Write some caption, invent a label, and test referring to it!

6.5 Drawing figures

In these exercises we will practise to use `xfig` tool for drawing figures. `Xfig` is available in `cs` and `Linux`. It is very easy to learn by trying, but you can find more information by command `man xfig` or you can search manual pages in the net (keywords: `xfig manual`).

6.5.1 Instructions

- You can start `xfig` from shell by command `xfig` (when the file doesn't have any name) or you can already give it a name by command `xfig example.fig`. If you didn't give any file name in the beginning, you have to save your figure by command `save as`.
- Click `grid mode` and select a grid. Now it is easier to draw objects into positions you want.
- When you are finishing, remember to save your file. (You can save it during drawing, too. If something goes wrong, you can continue from the last saved version.)
- In `edit` menu there is command `undo` which lets you cancel the last drawing operation.
- By default, you cannot draw or move objects anywhere, but only in the grid. If this is too restricting, you can select `Point position` \rightarrow `Any`.
- When you finish, save the figure as postscript by selecting command `Export` from `file` menu. The default is encapsulated postscript and the file name will be `example.eps` (if your original file was `example.fig`).

6.5.2 Tasks

1. Draw some of the given (e.g. 6.2) figures by `xfig`, save them as `eps`. Check the `eps` figures by command `ghostview example.eps` or `gv`

`example.eps`. Notice: your figures do not have to be identical than the examples!

2. Load figure `articletree.fig` from <http://www.cs.joensuu.fi/pages/whamalai/sciwri/articletree.fig>. Open it in `xfig` and make your own changes. Save the file and import it as an eps file.
3. Draw figures you need for your own Sciwri paper!
4. Extra task (if you have time): test how to include latex math commands into a figure in `xfig`. Write the math commands (inside `$` characters) into your figure. Select **Edit** command and click the string which contains latex symbols. Change the **Special Flag** to **Special**. When you export the figure select language **Combined PS/Latex (both parts)**. This produces two files `example.pstex` and `example.pstex_t` into your working directory. Include the latter into your document by `\input{example.pstex_t}` as demonstrated in

6.6 Spell checking

Test `aspell` tool for spell checking. Notice that `aspell` is a newer (and better) tool than `ispell`. In our systems, the default language seems to be American English, but you can change it to British English.

- If you run `aspell` from `emacs`, select the dictionary from `tools` → `spell checking` → `select British dict`. Start checking by selecting `Spell-Check Buffer` from the same menu. You get the list of commands by `ctrl-h`.
- If you run `ispell` from command line, give option `-d british.multi`.

Test `aspell` with file `its.tex` <http://www.cs.joensuu.fi/pages/whamalai/sciwri/its.tex> and correct it according to British English!

The `aspell` manual pages: <http://aspell.sourceforge.net/man-html/index.html>

6.7 Writing references with bibtex

BibTeX is both a program and a file format for managing your literature references automatically.

6.7.1 Idea

- You collect a database of bibtex records (*bibtex entries*) for all sources you may refer in your document. It can contain also extra entries, because the bibtex selects only those references which are actually referred.

- The bibtex entries look like the following:

```
@article{Gettys90,
  author = "J. Gettys and P. Karlton and S. McGregor",
  title = "The X Window System, Version 11",
  journal = "Software Practice and Experience",
  volume = "20",
  number = "2",
  year = "1990",
}
```

- Each bibtex entry should have a unique label (above `Gettys90`). The labels are referred in the text normally by `\cite{label}`.
- The resulting database is a common text file, and only the records have a special format. The file should be called `<file name>.bib`. For example, `dbase.bib`.
- You include the database into your document by commands

```
\bibliographystyle{alpha}
\bibliography{dbase}
```

(The first command defines just the style.)

- When you compile the latex document, you have to run `bibtex` too.

```
latex document.tex
bibtex document
latex document
```

The first command is a normal latex compilation. Command `bibtex` generates a file called `document.bbl`. It is similar to a latex bibliography list, but it contains only those sources which are actually referred in your document. The last command includes the references into your document and the resulting `document.dvi` file is ready.

6.7.2 Bibtex entries

Often you can find the bibtex entries ready typed in the net. However, sometimes they are erroneous and you should be able to check that they are correct. Sometimes you have to write the bibtex entries yourself.

Searching bibtex entries

- Bibtex entries can be found in many digital libraries (e.g. ACM, citeseer) with the article.
- DBLP Computer Science bibliography (<http://www.informatik.uni-trier.de/~ley/db/index.html>) contains a large collection of bibtex entries!
- You can make a google search using the authors, paper name and word "bibtex" as keywords.

Writing bibtex entries

When you write the bibtex entries, you should first decide what type of source you have. The most common types are:

- a journal paper → @article
- a conference paper → @inproceedings
- a book → @book

Other types:

- a chapter or a section in a book by one author → @inbook
- a chapter in a book (a collection) which is written by several authors → @incollection
- a master thesis → @mastersthesis
- a doctoral thesis → @phdthesis
- a technical report → @techreport
- other: see <http://www.ecst.csuchico.edu/~jacobsd/bib/formats/bibtex.html>

When the type is fixed, you should define all required fields. The most often needed fields are:

- author
- title (the title of a paper or book)
- journal (the journal name)
- booktitle (if the paper belongs to a book or collection, and already has a title of its own. Especially, the name of the conference proceedings.)
- year (the publication year)
- pages
- volume (in journals, also if a book has several volumes, and the volumes in LNCS series)
- number (the issue number of a journal or the number of a technical report)
- editor (if a book or a collection has editors)
- publisher (the publisher's name)
- address (the publisher's address, not necessary, or the address of an institution. Notice. just the city + country.)
- institution (the sponsoring institution of a technical report, often a department + university)
- Other fields: see standard fields in <http://www.ecst.csuchico.edu/~jacobsd/bib/formats/bibtex.html>

Notes:

- By default, Bibtex capitalizes only the first letter of the first word in the titles. If you need other capital letters, you have two choices:
 1. Put the letter or letters to be capitalized into braces, e.g.


```
title='Using {B}ayesian student models in intelligent tutoring systems'
```
 2. Put the whole field value into braces. Now you don't need the quotation marks at all:

```
title={Using Bayesian student models in intelligent
tutoring systems}
```

Notice that journal and book names are usually written such that the first letter of each word is capitalized!

- Remember all the commas and quotation marks! Otherwise bibtex cannot parse the entry. The most common error is a missing quotation mark or a comma in the end of field.
- In DBLP the entry is often in two separate records: one for the whole proceeding and one for the article. The article entry does not contain all fields alone, but it refers to the collection by field `crossref` and inherits all fields from it. → copy both entries into your database or add the missing fields to the article entry.

6.7.3 Exercise

Search or write the bibtex entries for your literature sources. Test that the bibtex can generate all references! (Now it is important that you also refer to your sources in the text.)

6.8 Writing algorithms in latex

6.8.1 Instructions

The latex source file of this subsection is available on <http://www.cs.joensuu.fi/pages/whamalai/sciwri/algexample.tex>.

Using algorithm library

New commands for algorithm environment are defined in package `algorithmwh.sty`. It can be loaded from <http://www.cs.joensuu.fi/pages/whamalai/sciwri/algorithmwh.sty>. Save it to your working directory. In addition, you have to include two other packages (`float` and `xspace`) in the header. Thus, add the following lines to the header of your latex document:

```
\usepackage{float}
\usepackage{xspace}
\usepackage{algorithmwh}
```

Notes

- You can add your own commands to `algorithmwh.sty` by `\newcommand`. Suggestion: rename the style file according to you, if you make changes to it.
- Line numbers are useful, if you refer to certain lines in your code. Begin each code line by `\u1n`. If you don't need line numbers, drop `\u1n`.
- You have to specify the spaces explicitly by `\>`.
- Fix the style you use for assignments. There are several alternatives: $x = y$, $x \leftarrow y$, $x := y$.
- Logical bit-operations `\uor`, `\uxor`, `\uand`, `\unot` require math mode (`$'s`), e.g. $x \mid y$ is achieved by

```
$x \uor y$
```

Example (a text extract)

The basic idea of the algorithm (Alg. 2) is following:

1. Search connected components from graph G by depth-first search. This can be completed in time $\Theta(|V| + |E|)$ (See section Analysis.) Let the resulting vertex set be $V' \subseteq V$, and the corresponding undirected subgraph $G' = (V', E')$.
2. For each connected component search self-referring groups from G' by depth-first search (Alg. 3).

6.8.2 Exercises

1. Write Algorithm 4! Test how to refer to it in the text (like here).
2. Test how to write the following kind of method using an itemize list!

Step 1 $x = x + 1$

Step 2 $y = x^2 + 1$

Step 3 If $y \leq n$ return to Step 1.
3. Write an algorithm or a method to your paper!

Alg. 2 `SelfReferringSets(G, min_f)`. An algorithm for searching all strongly self-referring sets in graph $G = (V, E)$.

Input: $G = (V, E), min_f$

Output: $Y \subseteq V$

```

1  begin
2      compute all connected components in  $G = (V, E)$ 
3      for each connected component  $V'$  in  $G = (V, E)$  do
4          for all  $v \in V'$  dfs{ $v, degree(v), min_f, v$ }
5      end

```

Alg. 3 `dfs($X, d, min_f, last$)`. A depth-first search of the self-referent sets in subgraph $G' = (V', E')$.

Input: $X \subseteq V, d, min_f, last$

Output: $Y \subseteq V'$

```

1  begin
2      if  $f_{ref}(X) \geq min_f$  then
3          output  $X$ 
4      else if ( $f_{ref}(X) < 1 - \frac{d(1-min_f)}{(|X|-1)min_f}$ )
5          then return // search failed
6      for all vertices  $u \in V'$  ( $u > last$  and  $\exists v \in X (v, u) \in E$ ) do
7          dfs( $X \cup \{u\}, d, min_f, u$ )
8      end

```

6.9 Special latex notes

6.9.1 No numbers to sections or sections

If you do not want to output section or section numbers (like in this document) use '*' after the command, e.g. `\subsection*{title}`. This is not recommended in master thesis, but you can maybe need it in some special cases.

Alg. 4 `PartitioningClustering(S, n, k)`

Input: Data set S , $n = |S|$, number of clusters k

Output: Centroids c_1, \dots, c_k

```

1  begin
2      Select randomly  $k$  data points  $p_1, \dots, p_k \in S$ 
3      for all  $p_i$  // Initialization
4          begin
5               $c_i = p_i$ 
6               $C_i = \{p_i\}$ 
7          end
8      while (not converged) // Update clusters
9          begin
10             for all  $p_i \in S$ 
11                 begin
12                     Search  $c_j$  such that  $d(p_i, c_j)$  is minimal
13                      $C_j = C_j \cup \{p_i\}$ 
14                 end
15             Update centroids  $c_i$ 
16         end
17     end

```

6.9.2 Other symbols or item names to lists

If you want to use other symbols than bullets in an itemize list, you can define new symbols or item names in `\itemcommand` like `\item[a]` and `\item[Step1]`. See example:

```

\begin{itemize}
\item[Step 1]  $x = x + 1$ 
\item[Step 2]  $y = x^2 + 1$ 
\item[Step 3] If  $y \leq n$  return Step 1.
\end{itemize}

```

outputs

Step 1 $x = x + 1$

Step 2 $y = x^2 + 1$

Step 3 If $y \leq n$ return Step 1.

6.9.3 Footnotes

Footnotes¹ are achieved by command `\footnote{text}`.

6.9.4 Font size

Font size can be enlarged or shrunk by special commands

```
\Huge \LARGE \Large \tiny
\footnotesize
```

etc. See latex manual! E.g. if your table contains a lot of text, first try to prune the text, but if it doesn't help, you can use footnote size:

```
\begin{center}
\begin{table}[!h]
\caption{plaa-plaa}
\label{tab1:3}
\footnotesize{
\begin{tabular}

\end{tabular}
}
\end{table}
\end{center}
```

6.9.5 Multi-column tables

If you want to get a table, where some columns are divided into subcolumns on some rows but united in others, you can use command `\multicolumn`. This command requires package `multicol`. Include it in the header by command `\usepackage{multicol}`. See the following example:

```
\begin{table}[!h]
\begin{center}
\caption{Comparison of prediction accuracy of {\em LR} and {\em NB} models.
The prediction accuracy is expressed
true positive  $\$TP\$$  and true negative  $\$TN\$$  rates.
All models have been evaluated by 10-fold cross-validation and the
classification rates have been averaged.}

```

¹These not recommended in computer science texts; use them sparsely!

Table 6.3: Comparison of prediction accuracy of *LR* and *NB* models. The prediction accuracy is expressed true positive *TP* and true negative *TN* rates. All models have been evaluated by 10-fold cross-validation and the classification rates have been averaged.

Model structure	<i>LR</i> rates		<i>NB</i> rates	
	TP	TN	TP	TN
$A \Rightarrow FR1$	0.83	0.47	0.96	0.31
$A, B \Rightarrow FR1$	0.91	0.72	0.80	0.81
$A, B, C \Rightarrow FR1$	0.93	0.81	0.83	0.81
$TP1 \Rightarrow FR2$	0.70	0.68	0.96	0.53
$TP1, D \Rightarrow FR2$	0.78	0.84	0.76	0.61
$TP1, D, E \Rightarrow FR2$	0.76	0.89	0.82	0.87
$TP1, D, E, F \Rightarrow FR2$	0.70	0.92	0.80	0.87

```
\label{crossval}
\begin{tabular}{|l|c|c|c|c|}
\hline
Model structure&\multicolumn{2}{|l|}{ $\$LR\$$  rates} &
\multicolumn{2}{|l|}{ $\$NB\$$  rates}\\
& TP& TN& TP&TN\\
\hline
 $A \Rightarrow FR1$  & 0.83&0.47&0.96&0.31\\
\hline
 $A,B \Rightarrow FR1$  & 0.91&0.72&0.80&0.81\\
\hline
 $A,B,C \Rightarrow FR1$  & 0.93&0.81&0.83&0.81\\
\hline
 $TP1 \Rightarrow FR2$  & 0.70&0.68&0.96&0.53\\
\hline
 $TP1,D \Rightarrow FR2$  & 0.78&0.84&0.76&0.61\\
\hline
 $TP1,D,E \Rightarrow FR2$  & 0.76&0.89&0.82&0.87\\
\hline
 $TP1,D,E,F \Rightarrow FR2$  & 0.70&0.92&0.80&0.87\\
\hline
\end{tabular}
\end{center}
\end{table}
```

Notice that you have to define the maximum number of columns in the tabular definition, and multicolumn is used to combine columns on some rows.

6.9.6 Sideway tables

If the table is very large, using footnote size doesn't help enough. In this case, you can align the table horizontally by commands `\begin{sidewaystable}` and `\end{sidewaystable}` instead of `\begin{table}` and `\end{table}`. These commands demand that you include package `rotating`. Add to the header line `\usepackage{rotating}`.

```
\begin{sidewaystable}
\begin{center}
\caption{Table caption}
\label{predmodels}
\footnotesize{
\begin{tabular}{|l|l|l|l|l|l|}

\end{tabular}
}
\end{center}
\end{sidewaystable}
```

6.9.7 Special letters

In foreign names, you need sometimes special letters. E.g. Scandinavian letters ä and ö are achieved by `{\`a}` and `{\`o}`; á by `{\`a}` and à by `{\`a}`.

6.9.8 Removing extra spaces

After a full stop, latex writes always a longer space, because it interpretes it as an end of sentence. However, if you need full stops inside a sentence, e.g. in an abbreviation, this is not desirable. It is recommended that after each such pseudo-full stop you define the space explicitly by a slash `\` (and drop the space from text):

E.g. `\ tigers, lynxes, and lions are cat animals.`

In the article (and master thesis) template the default is that all paragraphs begin by space. This is inconvenient when you just want to leave empty

lines without beginning new paragraphs. You can get rid of the beginning space by command `\noindent`.

For example:

''The associated probabilities are

```
\noindent
$a \rightarrow action1$ $(0.6)$ $a \rightarrow action2$ $(0.4)$\
$b \rightarrow action3$ $(0.6)$ $b \rightarrow action2$ $(0.4)$\
$c \rightarrow action3$ $(0.6)$ $c \rightarrow action2$ $(0.4)$''\
```

outputs

''The associated probabilities are
 $a \rightarrow action1$ (0.6) $a \rightarrow action2$ (0.4)
 $b \rightarrow action3$ (0.6) $b \rightarrow action2$ (0.4)
 $c \rightarrow action3$ (0.6) $c \rightarrow action2$ (0.4)''

6.9.9 Adding extra spaces

The latex doesn't consider how many spaces you have written in the text file – it outputs always just one space. To get additional spaces, you have to define them explicitly by `~` character.

If you need more space (either horizontal or vertical) you can define it by commands `\vspace{2cm}` (vertical space of 2 cm) and `\hspace{13mm}` (a horizontal space of 13mm).

Appendix A: A simple latex template

```
%This is a really simple latex template for writing your first articles

%The paper size, font size and document type are defined in the following
\documentclass[a4paper,12pt]{article}

%Uncomment the following line, if you write in Finnish (special characters)
%\usepackage[T1]{fontenc}

%The following line is not necessary if you write in English. If you write
%in another language, uncomment the line and change the language
%\usepackage[english]{babel}

%useful special symbols:
\usepackage{amssymb}
\usepackage{latexsym}

%a useful package if you write url addresses:
\usepackage{url}

%a package for figures:
\usepackage[dvips]{color}
\usepackage{epsfig}

%Bibliography style. The alpha style generates references with
%first letters and year. If you prefer numbers, use style plain.
\bibliographystyle{alpha}

%Create your own environments
\newtheorem{definition}{Definition}
\newtheorem{example}{Example}

%If you want to remove the space before paragraphs uncomment the following.
%Remember then to leave an empty line between paragraphs!
%\setlength{\parindent}{0pt}

\title{The main title}
```

```
\author{Your name}

%Uncomment the following, if you don't want the date to be printed
%\date{}

\begin{document}

\maketitle

\section{The title of the first main section}

Write section 1 here.

\section{The title of the second main section}

You can write an introductory paragraph here, before subsections.
However, remember use introductory paragraphs systematically: either
everywhere or nowhere.

\subsection{The title of the first subsection}

Write subsection 2.1 here.

\subsection{The title of the second subsection}

Write subsection 2.2 here.

\subsection{The title of the second subsection}

Write subsection 2.3 here.

\section{The title of the third main section}

You can divide this into subsection, too. Etc.

\end{document}
```

Appendix B: A latex template for articles

```
%This is a basic latex template for writing articles like
%course papers, program documents, etc.
% http://www.cs.joensuu.fi/pages/whamalai/sciwri/articletemplate.tex

%The paper size, font size and document type are defined in the following
\documentclass[a4paper,12pt]{article}

%Uncomment the following line, if you write in Finnish (special characters)
%\usepackage[T1]{fontenc}

%The following line is not necessary if you write in English. If you write
%in another language, uncomment the line and change the language
%\usepackage[english]{babel}

%useful special symbols:
\usepackage{amssymb}
\usepackage{latexsym}

%a useful package if you write url addresses:
\usepackage{url}

%a package for figures:
\usepackage[dvips]{color}
\usepackage{epsfig}

%Bibliography style. The alpha style generates references with
%first letters and year. If you prefer numbers, use style plain.
\bibliographystyle{alpha}

%Create your own environments
\newtheorem{definition}{Definition}
\newtheorem{example}{Example}

%If you want to remove the space before paragraphs uncomment the following.
%Remember then to leave an empty line between paragraphs!
%\setlength{\parindent}{0pt}
```

```
\title{The main title}
\author{Your name}

%Uncomment the following, if you don't want the date to be printed
%\date{}

\begin{document}

\maketitle

\section{References}

The references are listed in the end of document. The title is
generated automatically. In the article style, the reference list is
labelled "References"; in the report style, it is labelled
"Bibliography."

The reference notations are defined in the header by command\
\verb \bibliographystyle{style}. Style alpha is often used in cs master
thesis. If you prefer numbers, use style plain.

Referring to sources, like to \cite{boulay}, happens by \verb \cite comm
Try to refer to other sources! Notice that you have to run latex
command a couple of times, before all references are solved.

\section{Referred tables}

We have already practised how to make simple tables. Now we will make
tables, like Table \ref{tableexample} which have titles and are referred
from the text.

\begin{table}[!h]
\begin{center}
\caption{Useful mathematical symbols: arrows.}
\label{tableexample}
\begin{tabular}{|l|l|}
\hline
 $\rightarrow$  & An arrow to the right\
\hline
```

```

 $\leftarrow$  & An arrow to the left\\
\hline
 $\leftrightarrow$  & An arrow to both directions\\
\hline
 $\rightarrow$  & A double line arrow to the right\\
\hline
 $\Leftarrow$  & A double arrow to the left\\
\hline
 $\Leftrightarrow$  & An double arrow to both directions\\
\hline
\end{tabular}
\end{center}
\end{table}

```

Table `\ref{tableexample}` is aligned in the center. Option `!h` tries to force the figure as near to the given location (between this and the previous paragraph) as possible. If the position does not look good, you can remove the option (especially with large figures and tables).

```
\section{Figures}
```

The figures should be postscript files. To test the following examples, load the file `cat.ps` from `\url{http://www.cs.joensuu.fi/pages/whamalai/sciwri/cat.ps}`. Store it to the same directory as this document. If you want to use another directory, you have to specify the path also in the figure. E.g. if the file is in a subdirectory `''figures''`, `\verb \includegraphics` gets parameter `\verb {figures/cat.ps}`. ~

If you don't refer to the figure, you can simply include it here like this:

```

\begin{center}
\includegraphics[width=0.6\textwidth]{cat.ps}
\end{center}

```

In scientific text, all figures must have a title (caption) and be referred from the text. This is demonstrated in Figure `\ref{figexample}`.

```

\begin{figure}[!h]
\begin{center}
\includegraphics[width=0.6\textwidth]{cat.ps}
\caption{A cat writing scientific text.}
\label{figexample}
\end{center}
\end{figure}

```

Figure `\ref{figexample}` is aligned in the center. The figure width is defined to be 60% of the text width. Try what happens if you change it!

```
% Literature references:
```

```
% If you use bibtex, uncomment the following. Add the name of your
% own bibtex database instead of dbase (now file dbase.bib)
%\bibliography{dbase}

```

```
% If you don't use bibtex, the literature sources are defined in
% the following list. If you use bibtex, delete the list

```

```
\begin{thebibliography}{4}
```

```
\bibitem{assrule} Agrawal, R., Mannila, H., et al.:
```

```
Fast discovery of association rules.
```

```
In Fayyad, U.M., Piatetsky-Shapiro, G., P., Smyth, P., Uthurasamy, R. (ed)
```

```
Advances in knowledge discovery and data mining.
```

```
AAAI/MIT Press, Menlo Park, CA (1996) 307--328
```

```
\bibitem{boulay} Boulay, B. du:
```

```
Can We Learn from ITSs?
```

```
Intelligent Tutoring Systems (2000) 9--17
```

```
\bibitem{butz} Butz, C.J., Hua, S., Maguire, R.B.:
```

```
Web-based intelligent tutoring system for computer programming. Web
```

```
Intelligence and Agent Systems: An International Journal 4,
```

```
1 (2006) To appear.
```

```
\end{thebibliography}
```

```
\end{document}
```




Figure 6.2: Example figures

Bibliography

- [1] Barrass, R.: Scientists must write. A guide to better writing for scientists, engineers and students. Chapman and Hall, London, New York, 1978.
- [2] Peat, J. et al.: Scientific writing – easy when you know how. BMJ Books, London, 2002.
- [3] Publication Manual of the American Psychological Association. Fifth Edition. American Psychological Association, Washington DC, 2002.
- [4] Strunk, W.: Elements of Style. Priv. print, Ithaca, NY, 1918. On-line edition published July 1999 by Bartleby.com. www.bartleby.com/141/. Loaded 1.3. 2006.