



Exercises about finite automata and corresponding regular expressions

1. Remove all ϵ -transitions from the Goblins' Gingerbread automaton and transform it to deterministic!
2. What kind of language does the Goblins' Gingerbread automaton recognize? Describe the language as a regular expression!
3. Give the regular expressions corresponding the following automata!



4. Construct the finite automata corresponding the following regular expressions!
 a) $(ab)^*(ba)^* \cup aa^*$
 b) $((ab \cup abb)^* a^*)^*$
5. For what practical applications could you use finite automata or regular expressions? Give at least three applications!
6. Let w^R = reversal of string w (i.e. if $w = a_1 a_2 \dots a_n$, then $w^R = a_n \dots a_2 a_1$). Prove that if the language L in alphabet $\{a, b\}$ is regular, then also its reversal language

$$L^R = \{w^R | w \in L\}$$

is regular. (Hint: consider automata.)

7. Prove that the class of regular languages is closed under cut and concatenation.
 I.e. if L_1 and L_2 are regular languages, then also $L_1 \cap L_2$ and $L_1 L_2$ are regular.
 (Hint: automata and de Morgan law: $A \cap B = \overline{\overline{A} \cup \overline{B}}$.)
8. Install the JFLAP 4.0 automaton tool. <http://www.cs.duke.edu/~rodger/tools/tools.html>)
 Use the program to find out, if the following expressions are equivalent:

$$a^*b^* \cup (a \cup b)^*ba(a \cup b)^*, (a^*b^*)^* \text{ ja } (a \cup b \cup ab \cup ba)^*$$